Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRINCETON NURSERIES

OGT 1 4 1925 ★

2,57

PRINCETON, NEW JERSEY

Wholesale Price List

FALL 1925

WM. FLEMER'S SONS
Proprietors also of the
F. & F. NURSERIES
Springfield, N. J.

Princeton, N. J. September 1, 1925

Dear Friends:

This is our eleventh fall price list, and gives everything we have in salable sizes in our four hundred acre nursery. It is all material of our own growing, and is of the best quality. In fact, "The Standard of Excellence in Ornamentals."

Prices are generally going to be higher but, feeling that they were high enough, or too high in most items, except shade trees, which require so much hand labor, we have either made the same price as last spring or lowered it. There are only a very few items that are higher, and the general average is lower.

In this list, we have embodied a new feature which is stating the approximate size the plant reaches at maturity, following the botanical name; and a short description emphasizing the chief qualities or characteristics of the plant. This, we think, will be a big help in placing orders, and the list can be used as a handy, pocket reference book.

We would like to fill your wants again, and invite you to come and visit us at any time. If you are too far away to drive by auto, come by the Pennsylvania Railroad, and we will meet you at the station.

Thanking those of you who have placed orders with us in the past, and hoping that we may fill your future wants.

Yours sincerely,

PRINCETON NURSERIES.

WILLIAM FLEMER, Jr., Manager.



Office and grounds, Princeton Nurseries.

Members: American Association of Nurserymen.

Eastern Nurserymen's Association.

New Jersey Nurserymen's Association.

Quotations, prices, contracts and grading are based on HORTICULTURAL STANDARDS adopted by the American Association of Nurserymen June 1923.

PRICES

Prices are as low as is consistent with the market, taking into consideration that the stock offered is of the best quality, carefully grown, with ample room for full development. Princeton grown stock must not be compared with poorly grown plants often offered. Prices are for Fall 1925.

CREDIT

To established nurserymen known to us, a credit of 60 days from date of invoice will be allowed. Cash before shipment is required from parties unknown to us and in these cases one-half the regular charge is made for boxes or bales.



Packing house and storage cellar, Princeton Nurseries. They are on our own siding which insures the minimum of exposure when loading and facilitates rapid shipment. We specialize in carload orders for which no charge is made for packing.

LIABILITY AND CLAIMS

We are not liable for injury to stock from frost, hail, fire, or other causes beyond our control, and book all orders with this understanding. Errors made by us will be gladly corrected, but complaints must be made within a reasonable time after receipt of stock.

Plants become your property upon delivery to transportation company, and we cannot be responsible for loss, damage, or delay in transit.

After the botanical name, in the following pages, we have embodied a new feature of giving the approximate height the plant attains at maturity; and a short description, giving the chief quality or characteristic of the plant, feeling that it would be a help to you in making up your order.

Princeton Nurseries employ no agents.

All stock offered herein is grown on our own nurseries under our own direct supervision.

PACKING

Bales and Boxes charged at cost. No packing charge is made for stock packed in full carlots. Boxes are made in the following sizes:

31	in. x	36	in.—10	ft.	long.	 	 	 	٠.					\$5.25
28	in. x	32	in.—10	ft.	long.	 	 	 						4.75
23	in. x	28	in.—10	ft.	long.	 	 	 						4.25
19	in. x	24	in.—10	ft.	long.	 		 						3.75
17	in. x	20	in.—10	ft.	long.	 	 	 		: .				3.25
15	in. x	16	in.—10	ťt.	long.	 	 	 						2.75
12	in. x	15	in.—10	ft.	long.	 	 	 						2.00

Add 50 cents for each additional 2 feet of length.

Decreases are in the same proportion, 50 cents for each 2 feet.

DECIDUOUS TREES

NOTE: The figures in italics, following each variety, indicate in feet the approximate height of that variety when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions

habitat greatly exceed this height, but so modify their growth and character to allowance for this has been made in th	o a var	iable ext	ent, and
	Each	Per 10	Per 100
ACER campestre 25'-30'		HEDGE]	
Useful for dry locations in under	growth;		
grows slowly. 3 to 4 ft	\$1.00		
4 to 5 ft	1.25		
5 to 6 ft	1.50		
— dasycarpum 60'-80'		SILVER	MAPLE
Quick growing, graceful shade tree;	leaves si		
8 to 10 ft	.90	\$7.50	
8 to 10 ft.—1½ to 1½ in	1.10	9.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\frac{1.50}{1.75}$	13.50 16.00	
10 to 12 ft.—134 to 2 in 12 to 13 ft.—2 to 214 in 12 to 13 ft.—214 to 2½ in 12 to 14 ft.—2½ to 3 in	2.25	10.00	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	2.75		
12 to 14 ft.— $2\frac{1}{2}$ to 3 in	3.50		
		SILVER :	MAPLE
A narrow form, useful for accent or			
6 to 8 ft	$\frac{1.00}{1.50}$		
8 to 10 ft. 8 to 10 ft.—1½ to ½ in 9 to 10 ft.—1½ to 2 in	2.00		
9 to 10 ft.—1½ to 2 in	2.50		
10 to 11 tt.—2 to 2½ in	3.00		
11 to 12 ft.—21/4 to 21/2 in	3.50		
— — wieri 60'-80'		UTLEAF	MAPLE
Graceful, drooping form; very desi		11.00	
8 to 10 ft	1.25 1.50	13.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	18.50	
10 to 12 ft.—1¾ to 2 in	2.50	23.50	
10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 1¾ in. 12 to 13 ft.—2 to 2¼ in. 12 to 13 ft.—2¼ to 2½ in.	3.50		
	4.50		
— negundo 60'		-	ELDER
Will grow where other trees fail; barren places and seashore.	especia	ny good	for dry,
8 to 10 ft	.80		
8 to 10 ft.—1½ to 1½ in	1.00	9.00	
10 to 12 ft.—1½ to 1¾ in	1.35	12.50	
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in	$\frac{1.75}{2.50}$		
12 to 13 ft.—2 to 2½ in	2.75		
— pennsylvanicum (striatum), 20'-30'		TRIPED 1	MADLE
Green bark striped with white; thr			
3 to 4 ft	.75		
4 to 6 ft	1.00		
— platanoides 50'-75'		ORWAY	
The most popular street tree; reta	ins its a	green lea	ves until
late autumn. 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50		
10 to 12 ft.—1½ to 1½ in	2.75		
10 to 12 ft.—134 to 2 in	3.50		
12 to 13 ft.— 2 to 21/4 in	4.25		
10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 12 to 13 ft.—2¼ to 2½ in. 12 to 14 ft.—2½ to 3 in.	5.00		
12 to 14 ft.—2½ to 3 m	6.00		



Lombardy Poplars, the type grown at Princeton. Note how evenly branched from the ground up. See page 12.

ACER—continued	Each	Per 10	Per 100
—— schwedleri 40'-60' Schwedleri	PIER	E LEAF N	[APLE
Probably the best large growing put			
	\$3.00		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75		
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	4.50		
12 to 13 ft.—2 to 2½ in	5.00		
— pseudoplatanus 40'-60'	Sy	CAMORE N	IAPLE
For seashore planting.			
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	\$21.00	
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	2.50	23.50	
12 to 13 ft.—2 to 2½ in	3.25	31.00	
12 to 13 ft.—2½ to 2½ in	4.00		
12 to 14 ft.— $2\frac{1}{2}$ to 3 in	4.50		
— rubrum, 50'-75'	ED OR	SCARLET N	IAPLE
Best in moist locations; also thrive	s in upl	land; brill	iant red
autumn coloring.			
6 to 8 ft	1.50		
8 to 10 ft	2.00		
8 to 10 ft.—1¼ to 1½ in	2.25		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75		
— saccharum 50'-75'		SUGAR N	
Most popular in northern states; b			ring.
8 to 10 ft	1.50	14.00	
8 to 10 ft.—1½ to 1½ in	2.00	19.00	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft.— $1\frac{3}{4}$ to 2 in	$\frac{2.50}{3.00}$		
12 to 13 ft.—2 to 2½ in	3.50		
′ *			
AESCULUS hippocastanum, 40'-60'		HORSECHES	
Rather slow growth; most attractive 4 to 6 ft	where 1.25	ı in flowei	June.
6 to 8 ft	1.75		
8 to 10 ft	2.25		

AILANTHUS glandulosa, 50'-60'		REE OF HE	CAVEN
Succeeds under most adverse city c	onaitio: .75	ns. 6.00	\$50.00
6 to 8 ft	1.00	8.50	75.00
8 to 10 ft	1.25	11.00	100.00
0 to 1011	1.20	11.00	200.00

Each Per 10 Per 100

	Each	Per 10	Per 100
AMYGDALUS persica (PRUNUS), 8'	-10'		-
Pink, Red	AND WH	ITE FLG.	PEACH
Very decorative double flowering			
2 to 3 ft		4.50	\$30.00 40.00
4 to 5 ft		5.50	10.00
5 to 6 ft	.75		
ANDROMEDA (See Shrubs)			
ARALIA (See Shrubs)			
	Епрореа	N WHITE	Вівсн
Known by its white bark.	- CHOLDI		Dinon
4 to 5 ft		7.50	
5 to 6 ft		9.00	
6 to 8 ft	1.25		
	UTLEAF	WEEPING	BIRCH
Graceful tree for lawn planting. 3 to 4 ft	1.25	11.00	
4 to 5 ft	1.75	16.00	
5 to 6 ft	2.00	18.50	
6 to 8 ft	2.25		
— purpurea, 30'-40' P	URPLELEA	F WHITE	BIRCH
A desirable purple sort.			
3 to 4 ft		***	-
— pyramidalis, 30'-40' Dense and columnar.	YRAMIDA	L WHITE	BIRCH
3 to 4 ft			
		WEEPING	Ripcu
A dwarf, spreading, pendulous tr	ee: uniqu	ie form.	Dinen
3 to 4 ft			
— lenta, 40′-60′			BIRCH
Has attractive, smooth, reddi	sh bark,	and con	nspicuous
catkins in spring.	er	5.00	
3 to 4 ft		$\frac{5.00}{7.50}$	
6 to 8 ft		10.00	
8 to 10 ft	1.75		
— lutea 50'-70'		YELLOW	BIRCH
Makes fine windbreak.		* 00	
3 to 4 ft	.65 .90	$\frac{5.00}{7.50}$	
4 to 6 ft	1.15	10.00	
8 to 10 ft	1.75	10.00	
— nigra 50'-60'		RIVER	Birch
Thrives in moist places; its torn,	ragged ba	rk is quit	e unique.
4 to 6 ft	1.00		
6 to 8 ft		11.00	
— papyrifera, 40'-50'		R CANOE	BIRCH
Picturesque paper bark, very wh 4 to 6 ft	.95	8.00	
6 to 8 ft	1.15	10.00	90.00
8 to 10 ft		14.00	
— populifolia, 30'-40'		GRAY	BIRCH
Will grow in poor soil and dry p	olaces. C	Commonly	found
native in New Jersey.	00		
4 to 6 ft	.90 1.15		
		П	NDD 4 16
Good for massing, or a hedge, b		EAN HOR	
Beech-like foliage.	ccause of	res dense	BIOWEIL
3 to 4 ft	.65	5.00	
4 to 5 ft	.80	6.50	
5 to 6 ft	.95	8.00	



Oriental Planes, the finest that can be grown. Note straight stems and well-shaped heads. See page 12.

Closely resembles the Beech in appearance.

CARPINUS—continued — caroliniana 30'-40' Each Per 10 Per 100

AMERICAN HORNBEAM

Closely resembles the beech in ap	pearance.		
2 to 3 ft	\$.45	\$3.50	
3 to 4 ft	.55	4.50	
4 to 5 ft	.65		
CATALPA bungei 10'-15'	Umbr	ELLA CA	TALPA
Useful in formal planting.			
Light Heads, 1 yr., 5 to 6 ft., 1 in.	1.00	8.50	
Med. Heads, 1 yr., 5 to 6 ft., 11/4			
in	1.15	11.00	
First Class Heads, 2 yr., 5 to 6 ft.,			
1½ in Extra Large Heads, 2 yr., 5 to	1.50	13.50	
Extra Large Heads, 2 vr., 5 to			
6 ft., 1¾ in	1.75	16.00	
— speciosa, 30'-35'	WES	TERN CA	TALPA
4 to 6 ft	.50	4.00	
6 to 8 ft	.60	5.00	
CEDRELA sinensis, 30'-40'	Сн	INESE CI	EDRELA
Gives a tropical looking effect; of			
Will thrive under city conditions.	crubectb c		110 010.
2 to 3 ft	.50		
3 to 4 ft	.75		
CELTIS occidentalis, 50'-60'		HACK	RERRY
Similar foliage and habit as Elm.		IIICI.	DISHUL
3 to 4 ft	.30		
4 to 5 ft	.40		
5 to 6 ft	.50		
CEPHALANTHUS (See Shrubs)	.00		
CERASUS (See Prunus)			
· · · · · · · · · · · · · · · · · · ·	0/ 7	rz	/r
CERCIDIPHYLLUM japonicum, 60'-8		KATSURA	
Develops into a magnificent, sy	mmetrica	ı tree; t	oeautifui
spring and autumn colors.	~~	0.50	
3 to 4 ft	.75	6.50	
4 to 6 ft	1.00		
CERCIS (See Shrubs)			
CLADRASTIS lutea (tinctoria) 30'-40'	7	YELLOW-	
A striking tree with long panicles o	f fragran	t white fl	owers in
June.			
4 to 5 ft	1.25		
5 to 6 ft	1.50		

	Each	Per 10 Per	100
CORNUS florida 15'-25' WHIT	E FLOWE	RING DOGWOO	D O
Among the best of the spring flow	ering sm	all trees	
3 to 4 ft	e 50	an uces.	
4 to 5 ft	.70		
5 to 6 ft	1.00		
— — rubra, 15'–20' RE	FLOWE	RING DOGWOO	T)
			עי
The pink flowers are more persiste		the white.	
18 to 24 in	1.00		
2 to 2½ ft	1.25		
2½ to 3 ft	1.50		
3 to 4 ft	1.75		
		**	
CRATAEGUS coccinea 15'-20'	Тніс	KET HAWTHOR	N
Large scarlet fruits in autumn.			
2 to 3 ft	.65	\$5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
— cordata, 12'-15'	VASHINGT	ON HAWTHOR	N
Berries are small, brilliant red, and			
brilliant autumn foliage.	a persist	nearly air win	icer,
	0.5	5 00	
2 to 3 ft	.65	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
— crusgalli, 15'	Co	CKSPUR THOR	. 7
Deep green, shiny leaves make		tnorn distinct	ıve;
white flowers are also conspicuous			
2 to 3 ft	.65	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
		1.00	
5 to 6 ft	1.00		
— oxycantha, 12'-15'	Engl	ISH HAWTHOR	N
	50	4 00	
18 to 24 in	.50	4.00	
18 to 24 in	.65	5.00	
18 to 24 in	.65		N
18 to 24 in	.65 BLE SCAR	5.00	N
18 to 24 in	.65 BLE SCAR 1.25	5.00	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft.	.65 BLE SCAR 1.25 1.50	5.00	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.65 BLE SCAR 1.25	5.00	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft.	.65 BLE SCAR 1.25 1.50	5.00	N
18 to 24 in	.65 BLE SCAR 1.25 1.50	5.00 LET HAWTHOR	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15'	.65 BLE SCAR 1.25 1.50	5.00	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage.	.65 BLE SCAR 1.25 1.50 2.00	5.00 LET HAWTHOR PERSIMMO	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft.	.65 BLE SCAR: 1.25 1.50 2.00	5.00 LET HAWTHOR PERSIMMO: 5.00	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft.	.65 BLE SCAR 1.25 1.50 2.00	5.00 LET HAWTHOR PERSIMMO	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft.	.65 BLE SCAR: 1.25 1.50 2.00	5.00 LET HAWTHOR PERSIMMO: 5.00	
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs)	.65 BLE SCAR 1.25 1.50 2.00 .65 .75	5.00 LET HAWTHOR PERSIMMOR 5.00 6.00	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16	.65 BLE SCAR 1.25 1.50 2.00 .65 .75	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16	.65 BLE SCAR 1.25 1.50 2.00 .65 .75	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; distingually a significant of the second of t	.65 SLE SCAR 1.25 1.50 2.00 .65 .75 .75	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft.	.65 SLE SCAR 1.25 1.50 2.00 .65 .75 .75 .75 .90' Anactive sil	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .90' Asinctive sil 1.95	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50	N
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .90' As active stil .95 1.30 1.65	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .90' As active stil .95 1.30 1.65	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100'	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .90' An active sil .95 1.30 1.65	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 1	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .95 1.30 1.65 EU handsom	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 12 to 3 ft. 2 to 3 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 Eu handsom 1.00	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 2 to 3 ft. 3 to 4 ft.	.65 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 Eu	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree.	н
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 12 to 3 ft. 3 to 4 ft. — riversi, 60'-80'	.65 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 Eu	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC	н
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 2 to 3 ft. 3 to 4 ft.	.65 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 Eu	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree.	н
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 12 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves.	.65 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 Eu	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree.	н
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 . Eu handsom 1.00 1.25 RIVERS 3.00	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree.	н
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 4 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .95 1.30 1.65 Euhandsom 1.00 1.25 RIVERS	5.00 PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree.	N H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 12 to 3 ft. 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80'	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 -Eu handsom 1.00 1.25 RIVERS 3.00 4.50	5.00 PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; distin 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 1 3 to 4 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasi	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 -Eu handsom 1.00 1.25 RIVERS 3.00 4.50	5.00 PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 -Eu handsom 1.00 1.25 RIVERS 3.00 4.50	5.00 PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 . Eu handsom 1.00 1.25 RIVERS 3.00 4.50	5.00 PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC WHITE AS	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .00' An active sil .95 1.30 1.65 . Eu handsom 1.00 1.25 RIVERS 3.00 4.50 ing golder 1.00	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC WHITE AS a tones in autum 9.00	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 -Eu handsom 1.00 1.25 RIVERS 3.00 4.50 ing golder 1.00 1.25	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC WHITE AS a tones in autum 9.00 11.00	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR: 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 .EU handsom 1.00 1.25 RIVERS 3.00 4.50 ing golder 1.00 1.25 1.65	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree. WHITE AS a tones in autum 9.00 11.00 15.00	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See Laburnum) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-16 One of our best native trees; distin 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 1 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — riversi, 60'-80' Large, deep purple leaves. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasi good in moist soils. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1½ to 2 in. 12 to 13 ft.—2 to 2½ in.	.65 LE SCAR 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 .Eu handsom 1.00 1.25 RIVERS 3.00 4.50 ing golder 1.00 1.25 1.65 2.15	5.00 LET HAWTHOR PERSIMMO 5.00 6.00 MERICAN BEEC ver-gray bark. 8.00 11.50 15.00 ROPEAN BEEC e tree. PURPLE BEEC WHITE AS a tones in autum 9.00 11.00	N H H
18 to 24 in. 2 to 3 ft. — Pauls scarlet, 12'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. CYTISUS (See LABURNUM) DIOSPYROS virginiana, 15' Handsome foliage. 3 to 4 ft. 4 to 5 ft. EUONYMUS (See Shrubs) FAGUS americana (ferruginea), 75'-10' One of our best native trees; disting 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sylvatica, 75'-100' Slow growing, but makes a large, 10 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FRAXINUS americana, 70'-80' Fairly rapid grower; assumes pleasing good in moist soils.	.65 LE SCAR: 1.25 1.50 2.00 .65 .75 .75 .95 1.30 1.65 .EU handsom 1.00 1.25 RIVERS 3.00 4.50 ing golder 1.00 1.25 1.65	PERSIMMON 5.00 6.00 MERICAN BEECO ver-gray bark. 8.00 11.50 15.00 ROPEAN BEECO e tree. WHITE AS a tones in autum 9.00 11.00 15.00	N H H

THIN OBJOINT COL			
	Each	Per 10	Per 100
GINKGO biloba (SALISBURIA), 50'-75'	MA Linetal	IDENHAIR	TREE
Picturesque, interesting, quite dis maidenhair fern; immune from ins	ects.	eaves sna	ареа пке
6 to 8 ft	\$1.15	\$10.00	
8 to 10 ft 8 to 10 ft.—1¼ to 1½ in 10 to 12 ft.—1½ to 1¾ in	1.40	12.50	
8 to 10 ft.—1½ to 1½ in	1.65	15.00	
10 to 12 ft.—1½ to 1¾ in	1.90	17.50	*
GLEDITSIA triacanthos, 60'-70' Thorny tree with fragrant white:	Aovrona i	HONEY	
gravelly soil.	nowers .	m may,	good for
2 to 3 ft	.25	20.00	
3 to 4 ft	.45	35.00	
4 to 5 ft	$.65 \\ .85$	50.00 75.00	
5 to 6 ft			Tonn
GYMNOCLADUS dioica, 40'-50' King Light blue-green foliage of slow grows			
2 to 3 ft	.50	cturesqu	outilite.
3 to 4 ft	.75		
4 to 5 ft	1.00		
HALESIA (See Shrubs)			m
KOELREUTERIA paniculata, 25'-30'	Go:	LDENRAIN	
Has bright yellow flowers in July; ing tree.	is a vaiu	iabie sma	n nower-
3 to 4 ft	.50	4.00	
4 to 5 ft	.75	6.00	
5 to 6 ft	1.00		
6 to 7 ft	1.25	GOLDEN	TOTTATA
Beautiful clusters of yellow flowers	in sprir		CHAIN
2 to 3 ft	.35	·e.	
3 to 4 ft	.50		
4 to 5 ft	.75		r
Especially good for spring effects;	EU grows re	ROPEAN I	LARCH
18 to 24 in	.35	2.50	
2 to 3 ft	.50	4.00	
— leptolepsis, 60'-75'		PANESE I	JARCH
Fast growing, handsome tree, simil 18 to 24 in	ar to ab	ove. 2.50	
2 to 3 ft	.50	4.00	
LIOUIDAMBAR styraciflua, 75'-100'		SWEE	т Сим
One of the best trees for autumn c	olor; gr	ows well	in moist
places; has corky bark; rather diff	icult to .75	transplan	t.
3 to 4 ft	1.25		
5 to 6 ft	1.75		
LIKIODENDRON tulipitera, 60'-80'		Tuli	PTREE
A quick grower; the yellow tulip-	like flow	ers are p	roduced
in June. 4 to 6 ft	.75	6.00	
6 to 8 ft	1.00	0.00	
8 to 10 ft	1.50		
10 to 12 ft	1.75		
12 to 14 ft	2.00	II. M.o	MOLIA
Very large leaves; flowers white,		LLA MAG d pods a:	
4 to 5 ft	1.00	a poar w	
5 to 6 ft	1.25		
6 to 8 ft	1.50	Syren	CRAB
MALUS coronaria, 15'-20' Blush pink flowers in early spring.		SWEET	CRAB
2 to 3 ft	.50	4.00	
3 to 4 ft	.75	6.50	
4 to 5 ft	.85	7.50	
5 to 6 ft	95		



Pin Oaks at Princeton. We use every possible care to make our trees the best that can be produced. Pin Oaks are one of our specialties, and it is one of the best shade trees.

MALUS—continued		Per 10	
- floribunda, 10'-15' JAPA	NESE F	LOWERING	CRAB
Literally covered with rose-colore			
2 to 3 ft		\$4.00	
3 to 4 ft	.75	6.50	55.00
4 to 5 ft	.85	7.50	65.00
5 to 6 ft	.95		
— — atrosanguinea, 10'-15'		CARMINE	CRAB
Deeper flowering form of above.			
3 to 4 ft	.75	6.50	55.00
4 to 5 ft	.85	7.50	65.00
5 to 6 ft	1.00		
- halliana parkmani, 10'-15'		PARKMAN	CRAB
Semi-double pink; good, compact			02
2 to 3 ft	.50	4.00	
3 to 4 ft	.75		
4 to 5 ft	1.00		
— ioensis plena, 10'-15'		Веснтеі	CRAB
Large double pure pink flowers	with no		
vigorous grower.		CICCUI, II	grussee,
18 to 24 in	.50	4.00	
2 to 2½ ft	:60	5.00	
2½ to 3 ft	.70	6.00	
3 to 4 ft	.80	7.00	
$4 \text{ to } 4\frac{1}{2} \text{ ft.}$	1.00	9.00	
$4\frac{1}{2}$ to 5 ft	1.20	11.00	
- scheideckeri, 10'-15'	Sch	EIDECKER	CRAB
Double pink; handsome flower clu			
2 to 3 ft	.50		
3 to 4 ft	75		
4 to 5 ft	.85		
- spectabilis, 10'-15'	NESE F	LOWERING	CRAB
Beautiful pink or white flowers; s			
2 to 3 ft	.50		
3 to 4 ft	.75		
MORUS alba pendula, 8'-10' TEA	's Ween	ING MIL	BERRY
The most popular small "weeping"	'tree.		
Medium Grade, 1 yr. heads	1.35	12.50	
First Class Heads, 2 yr. heads	1.85	17.50	
Extra, 3 yr. heads	2.50	23.50	

12 Each Per 10 Per 100 PAULOWNIA tomentosa ROYAL PAULOWNIA (imperialis), 30'-40' Grows rapidly; very large leaves; purple flowers; not quite hardy in North. 4 to 5 ft..... \$.75 5 to 6 ft..... 1.00 6 to 8 ft..... 1.25 8 to 10 ft...... 1.75 PHELLODENDRON chinense, 50'-60' CHINESE CORKTREE A rapid growing, tropical appearing small tree. \$ 8.50 5 to 6 ft..... 1.00 11.00 6 to 8 ft..... 1.25 PLATANUS orientalis, 70'-80' EUROPEAN PLANE TREE A good tree for park and street use; grows rather quickly; withstands smoky city conditions. 1.25 11.00 1.75 14.00 2.00 19.00 2.75 26.50 3.25 12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in..... POPULUS alba, 60'-80' WHITE POPLAR Rapid grower, with rather attractive foliage; useful seashore subject. .75 .90 7.50 1.25 11.00 1.75 15.00 - bolleana, 50'-60' BOLLEANA POPLAR Leaves white underneath; similar columnar character to Lombardy Poplar. .60 5.00 4 to 6 ft...... .75 6.50 1.00 1.25 - monilifera, 75'-90' CAROLINA POPLAR A rapid grower; succeeds even in dry places and near seashore. 8 to 10 ft.. 3.00 \$25.00 .45 .55 4.00 35.00 .65 6.00 50.00 .75 - nigra italica, 60'–80' LOMBARDY POPLAR Tall spire-like character; valued for landscape work and screens. 6 to 8 ft.. .50 4.00 30.00 8 to 10 ft.... .60 5.00 45.00 .80 7.00 65.00 1.25 10.00 1.50 PRUNUS cerasifera pissardi, 12'-15' PURPLELEAF PLUM Valued chiefly because of purplish foliage; should be pruned every year for best color effect. 2 to 3 ft...... .50 4.00

The best double Japanese flowering cherry; double rose. 3 to 4 ft..... 3.00 4 to 5 ft....... 4.00

.65

5.00

7.50


SIEBOLD CHERRY

3 to 4 ft.....

4 to 5 ft.....

- sieboldi, 30'-40', B. and B.

PRINCEION, NEW	JERGE	1	10
PRUNUS—continued	Each	Per 10	Per 100
— subhirtella pendula, 12'–15' V A most beautiful and graceful tree,		JAPAN C	
in early spring. Pyramidal Form.			
3 to 4 ft., B. and B	\$1.75		
4 to 5 ft., B. and B	$\frac{2.50}{3.00}$		
Standard Form	1 7/5		
3 to 4 ft. stems, 1 yr. heads 4 to 5 ft. stems, 1 yr. heads	$\frac{1.75}{2.25}$		
PTELEA trifoliata, 10'-12'			TREE
Has clusters of fruit that look and 3 to 4 ft	l smell li .30	ke hops. \$2.50	
4 to 6 ft	.40	3.50	
6 to 8 ft	.50	4.50	
PYRUS (See MALUS)			
QUERCUS cerris, 60'-70'	. 1.	Turke	y Oak
Small-leaved, compact growing Oa 8 to 10 ft	1.50	14.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00 2.50	18.50 23.50	
- coccinea, 75'-90'	2.50	SCARLE	OAK
Most striking autumn colors; tall,	stately	grower, d	eeply cut
leaves. 6 to 8 ft	1.65	15.00	
8 to 10 ft.—1½ to 1½ in 8 to 10 ft.—1½ to 1¾ in	$\frac{2.65}{3.00}$	25.00	
— palustris, 75'–90'	5.00	Pı	n Oak
Takes most kindly to cultivation		moist so	il, but is
very adaptable. Particularly fitti autumn effects.	ing as a	street tr	ee; good
8 to 10 ft	2.00	19.00	\$20° 00
9 to 10 ft.—1½ to 1½ in	$\frac{2.50}{2.90}$	23.50 27.50	\$225.00 260.00
10 to 11 ft.—13/4 to 2 in	3.50	33.50 42.50	325.00
12 to 13 ft.—2½ to 2½ in	$\frac{4.40}{5.00}$	42.00	
— phellos, 60′–80′		Willo	
Leaves long and entire, like the color until late in autumn.	Willow;	retain th	eir green
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75		
10 to 12 ft.—1½ to 1¾ in — robur, 70′–80′	2.00	Englis	T 0. T
The large Oak of England.		ENGLIS	H OAK
8 to 10 ft.—1½ to 1½ in 10 to 12 ft.—1½ to 1¾ in	$\frac{2.50}{3.00}$	23.50 28.50	
10 to 12 ft.—13/4 to 2 in	3.75	36.00	
- rubra, 75'-90'			D OAK
Comparatively quick growth; rich and reds.	autumn	coloring	in greens
6 to 8 ft	1.65 2.15	15.00 20.00	
8 to 10 ft.—1½ to 1½ in	2.40	22.50	
8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 9 to 10 ft.—1½ to 1¾ in 9 to 11 ft.—1¾ to 2 in	$\frac{2.90}{3.65}$	27.50 35.00	
10 to 12 ft.—2 to 2½ in	4.00	23.03	
	4.50		
ROBINIA pseudoacacia, 60'-80' Has fragrant white flowers in May	7.	I	OCUST
6 to 8 ft	.60		



Three year Barberry thunbergi, 2 yr. transplanted. One of the largest and best blocks we ever grew. See page 18.

Each Per 10 Per 100

CALICDUDIA - 1° 4°C-1° (C. CINIZCO)	Per 10	Per 100
SALISBURIA adiantifolia (See GINKGO)	***	•
SALIX babylonica, 50'-60' BABYLON W	EEPING W	ILLOW
Particularly appropriate for waterside pla	nting with	its long
pendulus branches.		
4 to 6 ft	\$4.00	\$35.00
6 to 8 ft	6.00	
8 to 10 ft		
— aurea, 40'-50' Russian Golden	WPG. W	ILLOW
Has golden-yellow bark.		
4 to 5 ft	4.00	
5 to 6 ft	5.00	
6 to 8 ft 75	6.50	
- salamoni 60/-70/ Sarasson W	EEDING W	11.1.0317
6 to 8 ft	EEPING W	ILLOW
The most vigorous of an weeping whows	4.00	
4 to 6 ft	4.00	
6 to 8 ft	5.00	
8 to 10 ft		
- blanda (dolorosa), 40'-50' Wisconsin W	EEPING W	ILLOW
Very hardy.		
4 to 6 ft	3.00	
6 to 8 ft	5.00	
— caprea (bush form), 15'–20'	Pussy W	
Very desirable for spring effects. Will do v	well on dry	v as well
as wet places.	·	
2 to 3 ft	2.00	15.00
3 to 4 ft	2.50	20.00
4 to 5 ft	3.00	25.00
- elegantissima, 60'-70' Thurlow Wi		
Vigorous upright grower; best for street p.	lanting	ILLO W
4 to 6 ft	3.00	25.00
6 to 8 ft	4.50	20.00
	7.00	
	7.00	
	EMARY W	ILLOW
Good for fine texture in foliage effects.	2.00	7 ~ 00
2 to 3 ft	2.00	15.00
3 to 4 ft	2.50	20.00
4 to 5 ft	3.00	25.00
	AUREL W	
Shining rich dark green leaves make this a	worthwhi	le back-
ground; valuable for seashore planting.		
3 to 4 ft	2.50	20.00
4 to 5 ft	3.00	25.00
6 to 8 ft	4.00	



Two year California Privet, cut back last winter, and with room enough in the row to permit proper development. This is real Privet at a moderate price for the quality. See page 26.

SALIX—continued	Each	Per 10	Per 100
— vitellina aurea, 25'-30' 3 to 4 ft			ILLOW \$20.00
4 to 5 ft		3.00	25.00
5 to 6 ft		3.50	
— britzensis, 20'-25'	BRONZE G	OLDEN W	ILLOW
Particularly good when used	with the p	preceding	variety. 15.00
2 to 3 ft		2.00 2.50	20.00
4 to 5 ft		3.00	25.00
SOPHORA japonica, 30'-40'			
White flowers in late summe	er; noticeab	le green	bark in
winter. 2 to 3 ft	65		
3 to 4 ft		7.50	
4 to 6 ft		1.00	
SORBUS aucuparia, 25'-30'		Mountai	n Аsн
A valuable tree on a small lawr	n; the scarle	t berries a	are quite
striking.			
4 to 5 ft			
5 to 6 ft		_	
TILIA americana, 75'-90' Grows rather quickly, forming		ad. Has	
Grows rather quickly, forming yellow flowers.	an open he	ad. Has	
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he	ad. Has 16.00	
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he	ad. Has 16.00 18.50	
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50	ad. Has 16.00	
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25	16.00 18.50 21.00	
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25	16.00 18.50 21.00	
Grows rather quickly, forming yellow flowers. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ to 2 in 10 to 12 ft.—1¾ to 2½ in 11 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2½ to 2½ in — euchlora (dasystyla), 60′-75′	an open he 1.75 2.00 2.25 2.50 3.25 4.50	ad. Has 16.00 18.50 21.00 23.50 RIMEAN L	fragrant
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y	ad. Has 16.00 18.50 21.00 23.50 RIMEAN L	fragrant
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75	ad. Has 16.00 18.50 21.00 23.50 RIMEAN L	fragrant
Grows rather quickly, forming yellow flowers. 8 to 10 ft 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2¼ in 11 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2¼ to 2½ in — euchlora (dasystyla), 60′-75′ Beautiful glossy dark green fol 8 to 10 ft 8 to 10 ft.—1½ to 1½ in	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75	16.00 18.50 21.00 23.50 RIMEAN I. ellow twig 16.00	fragrant
Grows rather quickly, forming yellow flowers. 8 to 10 ft 8 to 10 ft 9 to 11 ft—1½ to 1½ in 9 to 11 ft—1½ to 2 in 11 to 13 ft—2 to 2½ in 12 to 13 ft—2½ to 2½ in — euchlora (dasystyla), 60′-75′ Beautiful glossy dark green follow to 10 ft 8 to 10 ft 9 to 11 ft—1½ to 1½ in 9 to 11 ft—1½ to 1¾ in 9 to 11 ft—1¾ to 2 in	an open he 1.75 2.00 2.25 2.50 3.25 4.50 C liage with y 1.75 2.00 2.25 2.50	ad. Has 16.00 18 50 21.00 23.50 RIMEAN I ellow twig 16.00 18.50	fragrant ANDEN SS.
Grows rather quickly, forming yellow flowers. 8 to 10 ft 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 11 to 13 ft.—2½ to 2½ in 12 to 13 ft.—2½ to 2½ in — euchlora (dasystyla), 60′-75′ Beautiful glossy dark green followed to 10 ft 8 to 10 ft 9 to 11 ft.—1½ to 1¾ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—2 to 2½ in	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2.00 2.25 2.50 3.25	ad. Has 16.00 18 50 21.00 23.50 RIMEAN I ellow twig 16.00 18 50 21.00	fragrant ANDEN SS.
Grows rather quickly, forming yellow flowers. 8 to 10 ft 8 to 10 ft 9 to 11 ft—1½ to 1½ in 9 to 11 ft—1½ to 2 in 11 to 13 ft—2 to 2½ in 12 to 13 ft—2½ to 2½ in — euchlora (dasystyla), 60′-75′ Beautiful glossy dark green follow to 10 ft 8 to 10 ft 9 to 11 ft—1½ to 1½ in 9 to 11 ft—1½ to 1¾ in 9 to 11 ft—1¾ to 2 in	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2.00 2.25 2.50 3.25	ad. Has 16.00 18 50 21.00 23.50 RIMEAN I ellow twig 16.00 18 50 21.00	fragrant ANDEN SS.
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2.00 2.25 2.50 3.25 4.50 BIGLEAF EU	ad. Has 16.00 18.50 21.00 23.50 RIMEAN I. ellow twig 16.00 18.50 21.00 23.50	fragrant INDEN
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2 00 2.25 3.25 4.50 BIGLEAF EU 2.00	ad. Has 16.00 18.50 21.00 23.50 RIMEAN I. ellow twig 16.00 18.50 21.00 23.50 ROPEAN I.	fragrant INDEN
Grows rather quickly, forming yellow flowers. 8 to 10 ft 8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2½ in 11 to 13 ft.—2½ to 2½ in 12 to 13 ft.—2¼ to 2½ in — euchlora (dasystyla), 60′-75′ Beautiful glossy dark green fol 8 to 10 ft 8 to 10 ft 9 to 11 ft.—1½ to 1¾ in 9 to 11 ft.—1½ to 1¾ in 10 to 12 ft.—2 to 2¼ in 12 to 14 ft.—2¼ to 2½ in — platyphyllos, 60′-75′ 8 to 10 ft.—1¼ to 1½ in 9 to 11 ft.—1¼ to 1½ in 9 to 11 ft.—1¼ to 1½ in 9 to 10 ft.—1¼ to 1½ in 9 to 10 ft.—1½ to 1¾ in	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2.00 2.25 2.50 3.25 4.50 BIGLEAF EU 2.00 2.25	ad. Has 16.00 18.50 21.00 23.50 RIMEAN I ellow twig 16.00 18.50 21.00 23.50 ROPEAN I 18.50 21.00	fragrant INDEN
Grows rather quickly, forming yellow flowers. 8 to 10 ft	an open he 1.75 2.00 2.25 2.50 3.25 4.50 Cliage with y 1.75 2.00 2.25 4.50 BIGLEAF EU 2.00 2.25 2.50 2.50 2.50 2.50 2.50	ad. Has 16.00 18.50 21.00 23.50 RIMEAN I. ellow twig 16.00 18.50 21.00 23.50 ROPEAN I.	fragrant INDEN



Two year Spirea anthony waterer averaging 2 and 1/2 ft. The plants

are well-branched, well-grown, the best t See page 34.	hat can	be found	anywhere
TILIA—continued	Each	Per 10	Per 100
— tomentosa (argentea), 60'-70' Symmetrical and compact. Leave: very noticeable when blown by win	s silvery	ERLEAF I	
1½ to 1¾ in	\$2.25	\$21.00	
13/4 to 2 in	2.50	23.50	
2 to 21/4 in	3.25		
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.50		
— vulgaris, 60'-70'		Common I	
In late June the fragrant flowers a metrical and compact.	re notic	eable; gr	ows sym-
8 to 10 ft.—1½ to 1½ in	2.00	18.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	21.00	
10 to 12 ft.—13/4 to 2 in	2.50	23.50	
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.25		
ULMUS americana, 80'-100'		AMERICA	
Stateliness and dignity are here exe			
growth, this typical American tree			
portions and commands respect of			
6 to 8 ft	1.00	8.50	\$ 75.00
8 to 10 ft	1.25	11.50	100.00 150.00
8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in	1.75 2.25	$16.00 \\ 21.00$	150.00
9 to 11 it.—1½ to 1¼ in		21.00	
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	2.75		
— glabra (latifolia), 60′–80′			н Егм
A spreading tree of rapid growt		attractive	foliage.
8 to 10 ft	1.25	1,	
8 to 10 ft.—1¼ to 1½ in 9 to 11 ft.—1½ to 1¾ in	1.75		
9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25		
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.00	Ġ.	
11 to 12 ft.—2 to 2½ in	3.75		
— — camperdowni, 8'-10'		MPERDOW	
The weeping Elm of good foliage ar		for weep	ing trees.
1 year head, 5 ft. stems	1.50	1 1	
2 year head, 5 ft. stems	2.00		

DECIDUOUS SHRUBS

Our methods of lining out and cutting back insure the kind of full, bushy plant which really is the standard of excellence,—a young, thrifty shrub, graded liberally.

Nearly all shrubs are dug with a tree-digger which means good

3 to 4 ft.....

roots, and lots of them.

The figures in italics, following each variety, indicate in feet

The figures in Italics, following each			in feet
the approximate height of that plant who		ure.	
We offer the following own-grown stoo			
	Each	Per 10	
ACANTHOPANAX pentaphyllum, 7'-8'	Fiv	E LEAF A	
Graceful, arching habit; splendid fo	r bank	s; very ad	aptable;
good foliage for smoky exposures.			•
	\$.25	\$2.00	\$15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	,•
		CRIDENT N	Linen
ACER buergerianum, 12'-15'		I RIDENT A	TAPLE
5 to 6 ft	.75		
6 to 7 ft	1.00		
— palmatum (polymorphum), 12'-15' Gr	EEN JA	PANESE 1	IAPLE
Develops into a splendid specimen f	or law	n planting	
3 to 4 ft.—B. and B	2.50	22.50	
4 to 5 ft.—B. and B	3.00	27.00	
- tataricum ginnala, 10'-12'	Тат	RTARIAN N	LADIE
Graceful and valuable for bright red			
2 to 3 ft	.40	3.50	8.
3 to 4 ft	.60	5.50	
4 to 5 ft	1.00	9.50	
5 to 6 ft	1.50	14.00	
AMELANCHIER canadensis	Do	WNY SHAD	BLOW
(botryapium), 10'-12'		•	
White flowers in early spring before l	eaves;	fruits are	relished
by birds.			
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
AMORPHA canescens, 2'-3'		LEAD P	LANT
Bluish purple flowers in June.		LLAD I	D.T.VI
. 18 to 24 in	.40	3.50	
	.10		D
— fruticosa 8'-10'	1 =1 **	Indigo	BUSH
Deep purple flowers, June, spreading			
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.40	3.50	
AMYGDALUS nana, 5'-6'		ERING AL	
Flowers double, May; very showy; t	here ar	re Pink and	d White
varieties.			
18 to 24 in	.50	4.50	40.00
2 to 2½ ft	.60	5.50	50.00
2½ to 3 ft	.70	6.50	60.00
3 to 3½ ft	.80	7.50	70.00
ANDROMEDA aborea (See OXYDEND			
ARALIA pentaphyllum (See ACANTHOI			_
— spinosa, 18'–20'		IERCULES	
Useful for tropical effects and shado			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
ARONIA arbutifolia, 6'-8'	RE	D CHOKER	ERRY
Valuable because of its red berries;			
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.50	4.50	40.00
3 to 4 ft	.60	5.50	

THINGE ON THE		. 7	
ARONIA—continued	Fach	Per 10	Per 100
— melanocarpa (nigra), 8'-10'		ск Снокв	
Delicate white flowers in May; bla			until late.
18 to 24 in			
2 to 3 ft	.35	3.00	
3 to 4 ft	.40		
AZALEA Calendulacea, 4'-5'		FLAME A	ZALEA
The great flame Azalea of Carolin	a Moun	tains; ver	y showy;
burnt orange flowers.			
12 to 15 in., B. and B	1.25		
— kaempferi, 4'-5'		Torch A	ZALEA
Warm brick-red flowers in May.			
12 to 15 in., B. and B	1.25		
15 to 18 in., B. and B	1.50		
— mollis, 3'-4'	(CHINESE A	ZALEA
Pink and yellow flowers.			
12 to 15 in., B. and B	1.25	11.00	\$100.00
— vaseyi, 8'-9'			
Delicate pink April and May	LIN	k Shell A	AZALEA
Delicate pink,—April and May.	1.05		
12 to 15 in., B. and B	1.25 1.50		
- viscosa, $6'-7'$	1.50	Swan	ZATE:
		SWAMP A	AZALEA
White, very fragrant, June, July. 12 to 15 in., B. and B	1.05		
12 to 15 m., D. and D	1.25		
15 to 18 in , B. and B	1.50	DOGAWA A	
Double pinkish-lavender flowers,	may.	very naro	y and or
exceptional merit.	1.25	11.00	
12 to 15 in., B. and B	1.50	13.50	
18 to 24 in., B. and B	1.75	16.00	
			70
BACCHARIS halimifolia, 9'-10'		ROUNDSEL	
Conspicuous fluffy seed pods in	Sept.	Good for	seashore
planting.	90	2.50	
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	40	3.50	
BENZOIN aestivale (LINDERA benzo	oin), 10'	–12′ Spic	EBUSH
Flowers yellow, April. Scarlet	berries,	beautiful	autumn
coloring, leaves aromatic.			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
BERBERIS hackadata			
18 to 24 in	.25		
2 to 3 ft	.30		
3 to 4 ft	.35		
— thunbergi, 4'-5'	Japa	NESE BAR	BERRY
A splendid low hedge plant, or for	massing	; brilliant	autumn
coloring; scarlet berries.			
Each		0 Per 100	
9 to 12 in	.75	5.00	40.00
12 to 15 in			
15 to 18 in	1.75	15.00	120.00
18 to 24 in	2.25	20.00	160.00
2 to 2½ ft	2.75	n n	
— — minor, 2'-3'	D 1	Box Bar	
A dwarf, compact form of Japanes			sparing-
ly. Used for edging where Box is			D -00
	Each	Per 10	Per 100
6 to 8 in	.15	10.00	
8 to 10 in	.20	15.00	
10 to 12 in	.25		
12 to 15 in	.30		

BERBERIS—continued		Per 10	
vulgaris, 7'-8'	EUROI	EAN BAR	BERRY
Yellow flowers, May. Fruit red, upright habit.	persist	ing to m	dwinter;
18 to 24 in	\$.20	\$1.50	\$10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	
— purpurea, 7'-8' P	URPLE I	EUR BAR	BERRY
Has pleasing soft purplish foliage.	25	2.00	7 = 00
18 to 24 in	.25 .30	2.00 2.50	15.00 20.00
2 to 3 ft	.35	3.00	20.00
BUDDLEIA davidi veitchiana, 5'-6'		UTTERFLY	Впеп
Very effective with gray-green folia	ge and	deen lilac	flowers:
likes sun. June, September.	_		,
likes sun. June, September. 18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	15.00
3 to 4 it	.30	2.50	
CALLICARPA purpurea, 3'-4' C Lilac-violet berries, especially attrac	HINESE	BEAUTY	BERRY
habit.	ctive in	August.	Graceiui
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	40.00
2 to 3 ft	.40	3.50	
CALYCANTHUS floridus		SWEET	SHRUB
18 to 24 in	.35		25.00
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	_
CARAGANA arborescens, 10'-12'		RIAN PEA	-TREE
Yellow pea-shaped flowers, May-Ju 2 to 3 ft	ne. .30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
CARYOPTERIS incana (mastacantha),			
Lavender-blue flowers, SeptOct.		idid for	
Requires protection.			
12 to 15 in., 1 yr	.25	2.00	15.00
15 to 18 in., 2 yr	.30	2.50	20.00
CEANOTHUS americanus, 3'-4'			Y-TEA
Very attractive dwarf native shrub			20.00
12 to 18 in	.40 .45	$\frac{3.50}{4.00}$	30.00 35.00
	.40	4.00	33.00
CELTIS occidentalis (See Tree)		D	
CEPHALANTHUS occidentalis, 5'-6' Round heads of creamy white f	lowore	BUTTO:	NBUSH Good
foliage; likes moisture.	iowers,	July-Sep	ı, Good
18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	
CERCIS canadensis, 12'-15'	Амн	ERICAN R	EDBUD
Rosy-pink, April, very effective whe	n plant	ed with D	ogwood;
good foliage.	4.0	0.50	20.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50 .60	$\frac{4.50}{5.50}$	
— chinensis, 10'-12'	~	HINESE R	EDBUD
Flowers a little larger and darke			
compact habit of growth.			
12 to 18 in	.30	2.50	20.00
18 to 24 in	.40	3.50	30.00
CHIONANTHUS virginica, 15'-18'	M	WHITE F	
Fragrant tassel-like white flowers. plum-like fruits follow.	May-	June. Bl	ue-black
18 to 24 in	.55	5.00	
2 to 3 ft	.65	6.00	
3 to 4 ft	.80		

	Fach	Per 10	D., 100
CLETHRA alnifolia, 4'-5'			
Spikes of very fragrant flowers, J	July-Sept.	Summers Prefer	s moist,
shady places. 18 to 24 in	\$.30	\$2.50	\$20.00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$.35 .40	$\frac{3.00}{3.50}$	
COLUTEA arborescens, 8'-10' Yellow flowers, June-August. Use		LADDER	
2 to 3 ft	.25	2.00	•
3 to 4 ft	.30	2.50	
4 to 5 ft	.40 Co	3.50	WOOD
Bright red bark, porcelain blue fru for winter effect.	its. Quic	k grower	; useful
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .35	$\frac{2.50}{3.00}$	20.00
— — spaethi, 6'-8' YEI	LOW SPA		WOOD
The leaves are margined with yello	ow. .35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
— alternifolia 15'-18'		ODA DOG	
Branches spread horizontally; mos fruit.	t pictures	que. Bl	ue-black
2 to 3 ft	.30	2.50	
3 to 4 ft	.40 .50	$\frac{3.50}{4.50}$	
5 to 6 ft	.60	4.50	
— amomum (sericea), 8'-9'		ky Dog	_
Pale blue fruits; young twigs purp 18 to 24 in	ole. Prefe .20	ers moist 1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35 .40	$\frac{3.00}{3.50}$	
- elegantissima, 5'-6' VARIEGAT			ERRY
Silver and green leaves; red bark.	0.0	0.50	20.00
18 to 24 in	.30 .40	$\frac{2.50}{3.50}$	20.00 30.00
3 to 4 ft	.45	4.00	35.00
- kousa, 16'-18' White flowers in June. Conspicuou	Kou s cherry-li	JSA Dog ke scarle	wood t fruits.
attractive to birds.			
2 to 3 ft	.40 .50		
— mascula, 10'–12'		lian-Ch	ERRY
Dense clusters of small yellow flow	rers in ve	ry early	spring;
late summer has large bright red fr 18 to 24 in	uit. .35		
— paniculata, 10'-12'	GE	AY Dog	WOOD
Numerous small white flowers in Ma on red stems.	y, followe	d by whit	e fruits
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30 .35	$\frac{2.50}{3.00}$	20.00 25.00
4 to 5 ft	.40	3.50	20.00
— stolonifera, 7'-8'	RED-OSI	ER Dogv	
Spreading habit, dark red bark, wh	nite fruits	. Does	well in
moisture. 2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	

CORNUS—continued	Fach	Per 10	Par 100
		BARK DOG	WOOD
Has distinct yellow bark; fine for	winter e	effects.	
18 to 24 in	\$.25	\$2 00	\$15.00
2 to 3 ft	.30	2.50	20.00
	.35	3.00	
3 to 4 ft	.55		25.00
CORYLUS americana, 8'-9'		HAZEL	-N.UT
Useful for natural plantings, deligi	hts in ha	lf-shade.	
2 to 3 ft			
3 to 4 ft	.75		
CRATAEGUS (See Trees)	.10		
	73	0	
CYDONIA japonica, 4'-5'	FLO	WERING Q_1	UINCE
Scarlet flowers in April, May.			
12 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	.40	3.50	30.00
CYTISUS scoparius, 4'-6'		SCOTCH B	ROOM
Thin, green branches, covered with	h yellow	flowers.	
18 to 24 in	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
DESMODIUM (See LESPEDEZA)			
	C	D.	
DEUTZIA candidissima, 9'-10'		FLAKE DE	UTZIA
Graceful habit, double white, June	e.		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	20.00
1 10 0 11			
— crenata fl. pl., 6'-8'	DOUBLE	PINK DE	UTZIA
Pink, slightly fragrant, June.			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
	.35	3.00	20.00
4 to 5 ft		4.400	
— gracilis, 3'	PL	ENDER DE	
Profuse bloomer, pure white, May	y. Usef	ul "facing	
10 to 12 in	.25	2.00	15.00
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
2/ 1/			
		ENDER DE	UTZIA
18 to 24 in	.40	3.50	
2 to 2½ ft	.45	4.00	
— lemoinei, 4'-5'	LE	MOINE DE	TITZIA
Large white flowers, June, graceful			
		0.50	
15 to 18 in	.30	2.50	
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	
— parviflora, 3'	Mono	GOLIAN DE	UTZIA
Semi-erect habit, white, June. D			
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
- scabra pride of Rochester, 9'-10'	LARGE	FLWD, DE	CUTZIA
Vigorous large flower tinged pink,	Inne		
o L. o fi		2.00	15.00
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
— vilmorinae, 4'-5'	Vn	LMORIN DE	EUTZIA
18 to 24 in	.25	2.00	
0 to 0 1/ ft			
2 to 2½ ft	.30	2.50	
DIERVILIA trifida, 3' DWA	RE BUSI	HONEYS	UCKLE
Yellow, June-July. A good low s	hrub for	shady pla	ces
15 to 10 in	11 to 10r	anady pia	cos.
15 to 18 in		2.00	
18 to 24 in	.30	2.50	
— sessilifolia (lutea), 4'-5' Souther	RN Busi	H HONEYS	UCKLE
Yellow, more vigorous than prece	ding Ju	ne-July	
2 to 3 ft	.25	2.00	
6 to A ft			
5 to 4 ft	.30	2.50	

THE TOTAL THE TO	, LI LULLI,		
	El-	D., 10	D. 10
ELAEAGNUS angustifolia, 15'-18'	Eacn	Per 10	
Silver-gray leaves and branchlets,	orongo	Russian	-OLIVE
massing.	orange	berries,	good 10
2 to 3 ft	\$.30	\$2.50	\$20.00
3 to 4 ft	.35		25.00
4 to 5 ft	.40	3.50	20.00
— longipes, $6'-8'$		RRY ELAR	EAGNITS
Silvery leaves, fragrant yellow flo	wers.	May I	arge rec
berries ripe in July.	, 015,	1.14.7. 1	arge rec
18 to 24 in:	.30		
2 to 3 ft	.40		
3 to 4 ft	.50		
	W	orn Fra	
EUONYMUS alatus, 9'-10'	imaan	GED EUO	NYMUS
Interesting corky bark, warm cr Makes fine specimen shrub.	imson	autumn	coloring.
18 to 24 in	.40	3.50	
2 to 2½ ft	.50	4.50	
$2\frac{1}{2}$ to 3 ft	.60	5.50	
3 to 1 ft	.75		
3 to 4 ft		OOK EUO	NVMIIS
Pink fruits; prefers moist locations		.001 2100	IVI MICOS
18 to 24 in	.25	2.00	
2 to 3 ft	.30		
3 to 4 ft	.35		
	MTTDDT	RRY EUO	NTVMITE
Fruits profusely. The orange and v	white se	ed node r	ersist on
bush for a long time. Good autum	n color	ing.	CISISC OII
2 to 3 ft		2.00	
3 to 4 ft	.35	3.00	
4 to 5 ft	.45	4 00	
— europaeus, 12'-14' Eu			CRITCH
Pink fruits on long stalks, persisting	g a long	time	GDUSH
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	1	
		Dnin	T DITOT
EXOCHORDA grandiflora, 6'-9' Dazzling white flowers, May. Is in	0 TO TO TO C	PEAR	LBUSH
18 to 24 in	.35	3.00	
2 to 3 ft	.40		30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	00.00
			T.
		R GOLDEN	
Bright yellow flowers in April before	e leaves	s unfold.	Profuse
and beautiful.	0.5	0.00	1 = 00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .35	$\frac{2.50}{3.00}$	20.00
4 to 5 ft			
		GOLDEN	
Graceful drooping habit; excellent			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40		
— fortunei, 7'-8' F	ORTUNI	E GOLDEN	BELL
Good habit, arching branches, vigor			77.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
		EM Fors	
Most vigorous; has green bark and	thick,	lark greei	n leaves.
Last to flower.	00	1.50	10.00
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	



Two year Wiegela rosea on the left; two year Wiegela nana variegata on the right. The rosea will average 3 to 4 ft., and the variegata 2 to 3 ft. See page 39.

Each Per 10 Per 100

	cacn	rer 10	
GENISTA tinctoria, 3'		Woadw	AXEN
Yellow pea-shaped flower. June			
	.25		
3 to 4 ft	.35		
- scoparia (See CYTISUS)	.00		
	0	~	
HALESIA tetraptera, 12'-15'		EAT SILVE	
Snow-white, bell-shaped flowers in	May,	profusel	y borne
along the branchlets. Can be grown	as s	ingle spec	imen or
massed.			
18 to 24 in	.40	\$3.50	\$30.00
2 to 3 ft	.45	4.00	35.00
	.55		45.00
3 to 4 ft		5.00	45.00
4 to 5 ft	.65	6.00	
HAMAMELIS virginiana, 10'-12'		Witch-l	
Yellow ribbon-like flowers, OctNov	v. B	ushy hab	it, good
foliage. Succeeds best in moist, half			., 8
	.30	2.50	
		3.50	
2 to 3 ft	.40		
3 to 4 it	.50_	4.50	
3 to 4 ft	R	OSE OF SE	IARON
Rather formal in outline, flowering in	Augus	st and Sep	tember.
Pink, purple, red, and white, single a	nd do	uble.	
Amplissima (double red) Jose	n of A	re (double	e white)
Amplissima (double red) Joan Coerulea (double purplish blue) Lady	Ston	lev (doub	le nink)
De L. V (deadle purplish blue) Lady	1.1: /.i	l-li-l	-\
De La vaux (double red) Siebo	iai (a	onoie bini	K)
De La Vaux (double red) Siebo Elegantissima (double pink) Totus	s albu	s (single v	vhite)
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	
- variegata, 6'-8' VARIEGATED LEAV	ZED R	OSE OF SE	IARON
Leaves striped yellow; compact grow		002 02 02	
10 to 04 in		3.50	
18 to 24 in	.40		
2 to 2½ ft	.45	4.00	
$2\frac{1}{2}$ to 3 ft	.50	4.50	
3 to 4 ft	.55	5.00	
HYDRANGEA arborescens, 4'-5'	Smoo'	TH HYDRA	NGEA
White, June-July.			
Single white flower. August.			
18 to 24 in	.30	2.50	20.00
10 to 24 III			
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
— grandiflora alba (sterilis), 4'-5'		Snowh	ILL
Large double white flower panicles,	verv	showy.	August.
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
	.45	4.00	50.00
3 to 4 ft	.40	4.00	

24 THINODION NO			
HYDRANGEA—continued	Fach	Per 10	Por 100
— paniculata (type), 8'-9'		CLE HYDR	
Bears long, loose panicles of wh			ANGEA
18 to 24 in	\$ 25	\$3.00	\$25.00
2 to 3 ft			30.00
3 to 4 ft		4.00	00.00
— grandiflora, 8'-9'		GEE HYDR	ANGEA
Very showy, blooming in Augus		0.50	20.00
18 to 24 in		$\frac{2.50}{3.00}$	20.00 25.00
2 to 2½ ft	40	3.50	23.00
2½ to 3 ft		4.50	
— — standard		REE HYDR	
Medium, 3 to 4 ft		5.50	50.00
First Class, 3 to 4 ft			70.00
Extra, 4 to 5 ft		9.50	90.00
— quercifolia, 3'-4'		EAF HYDE	
Leaves shaped like an oak leaf	. Splendid	l autumn	coloring;
succeeds in shade.			
12 to 15 in		3.00	
15 to 18 in		4.00	
18 to 24 in		5.00	
— radiata (nivea), 4'-5'	SILVERL	EAF HYDE	RANGEA
2 to 3 ft	30	2.50	
3 to 4 ft	35	3.00	
HYPERICUM aureum, 3'-4'	GOLDEN	St. John	SWORT
1 ellow. July-August. Blue-gr	een foliage	; dense h	abit.
15 to 18 in	20	1.50	
18 to 24 in	25	2.00	
2 to 2½ ft	30	2.50	
- densiflorum, 4'-5' DENSE	FLOWERED	St. John	SWORT
Yellow. July-September. Free	flowering;	good for s	andy soil.
18 to 24 in	25	2.00	
2 to 2½ ft	30	2.50	
$2\frac{1}{2}$ to 3 ft	35	3.00	
2 to 2½ ft	Kalm	St. John	SWORT
Blue-green leaves, glaucous und	lerside. W	ithstands	drought.
July-September.			
18 to 24 in	25	2.00	
2 to 2½ ft	30	2.50	
— moserianum, 2'	* 1		LOWER
Large waxy yellow flowers.	July-Augu	st. Dan	ity, half-
herbaceous, splendid mass plan		2.00	1 - 00
2 yr., 12 to 15 in		2.00	15.00
2 yr., 15 to 18 in	30	2.50	20.00
2 yr., 18 to 24 in	35	3.00	
ILEX verticillata (prinos), 6'-8'		WINTE	
Bright red berries persisting t	to mid-win	iter, not	eaten by
birds. Prefers moist soil.			
18 to 24 in	35	3.00	
2 to 2½ ft	40	3.50	
2½ to 3 ft	45	4.00	
ITEA virginica, 3'-4'			ETSPIRE
Spikes of fragrant, white flowers	. July. C	Good for lo	ow places;
brilliant autumn coloring.			
18 to 24 in	30	2.50	20.00
2 to 3 ft	35	3.00	25.00
JASMINUM nudiflorum, 3'	7	WINTER J	ASMINE
Yellow. April-May. Needs p			
One of the first to bloom in the			-,
15 to 18 in		2.00	15.00
18 to 24 in	30	2.50	20.00
2 to 2½ ft	35	3.00	25.00
2½ to 3 ft	.4 0	3.50	30.00

	Each	Per 10	Per 100
KERRIA japonica, 4'-5'	JAT	PANESE KI	ERRIA
Golden yellow flowers, June-Sept.			
winter effects. 18 to 24 in	\$.35	\$3.00	
2 to 2½ ft	.40	3.50	
		PANESE KI	ERRIA
Desirable double form of above an			SILILIA
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	
2½ to 3 ft	.45	4.00	
· -			
LESPEDEZA bicolor, 5'-6'	C11	Bushci	
Rose and white flower, September.			I snrub
2 to 3 ft	.25 .30	2.00	
3 to 4 ft	.40	$\frac{2.50}{3.50}$	
4 to 5 ft		5.50	
- formosa (Desmodium penduliflorum			
		LE BUSHCI	
Rosy purple flower conspicuous	in Sept	t. An at	tractive
herbaceous shrub.			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
LIGUSTRUM acuminatum (ciliatum),	5'-6' Br	GRERRY P	RIVET
Drops its leaves early, revealing	an ahi	indance o	f black
berries.	an ab	indance o	DIACK
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
— amurense, 14'-15'		Amur P	D.T.T.T.
Half evergreen; very hardy.		AMURI	RIVET
18 to 24 in	18	1.30	\$ 8.00
2 to 3 ft	.20	1.50	10.00
	.25	2.00	15.00
3 to 4 ft			
Good dense habit; flowers and f	i	IBOTA P	RIVET
black berries. Very hardy.	iuits ii	eery. De	corative
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
regelianum (cuttings), 5'-6' True			
Makes a splendid, low, dense hedg or evergreen plantings. Very desi	e; aiso g	good in sn	rubbery
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
2 to 21/2 ft	35	3.00	25.00
2½ to 3 ft	.40	3.50	30.00
— — (seedlings) S A form between the above and Ibo		REGAL P	RIVET
18 to 24 in	.15	1.00 1.50	
3 to 4 ft	.25	2.00	
	.20		
- lodense, 2½'		DWARF P	RIVET
Very compact, dwarf form.		0.50	20.00
1 year	.30	2.50	20.00
— ovalifolium, 9'-10'		IFORNIA P	
	ter good	bushy 2 y	r. stock
well worth the price.	D. 10	D 100 T	1000
Each		Per 100 I	
12 to 18 in	.40	3.00	20.00
18 to 24 in	.60 .80	4.00	35.00 50.00
2 to 3 ft		6.00	
3 to 4 ft	1.00	8.00	75.00

26 PRINCETON NU	JRSERIE	S	
LIGUSTRUM—continued	Each	Per 10	Per 100
— aureum, 8'-9'		GOLDEN	
Grows rather slowly.		o o no	
12 to 15 in	. \$.25	\$2.00	\$15.00
15 to 18 in	30	2.50	20.00
— vulgare, 10'–12'		UROPEAN	PRIVET
Creamy-white flowers. June-Ju	ıly. Blacl		
2 to 3 ft	25	2.00	15.00
3 to 4 ft	. 30	2.50 3.00	20.00 25.00
LONICEDA alband: 0/	4	_ YT	
Rose-pink fragrant flowers. Ma	V-June	T HONEYS	on leaves
Dwarf in habit.	y-sunc.	oraish-gree	in icaves.
12 to 18 in	30	2.50	
18 to 24 in	35	3.00	
— bella albida, 8-9' Wi	HITE BELL	E HONEYS	SUCKLE
Grows vigorously.			
2 to 3 ft		2.00	15.00
3 to 4 ft		2.50 3.00	20.00 25.00
4 to 5 ft			
Fragrant white flower, April-Ma	WINTE	R HONEYS	UCKLE
2 to 3 ft	30	2.50	20.00
3 to 4 ft		3.00	25 00
— maacki, 8'-9'		R HONEYS	
Large white flowers—June—sc	arlet berr	ies persist	ing until
midwinter. Very desirable.		•	-
2 to 3 ft		2.00	15.00
3 to 4 ft			20.00
4 to 5 ft		3.00	25.00
— — podocarpa, 8'-9' Smaller flowers tinged pink, bu		E Honeys	
also holds its leaves longer.	t better n	uit than p	receding;
2 to 3 ft	35		
— morrowi, 7'-8'	Morro	w Honeys	UCKLE
Spreading habit, white. May-Ju	ine. Red		
18 to 24 in		1.50 2.00	
2 to 3 ft		2.50	15.00 20.00
4 to 5 ft		2.50	20.00
—— (upright)	. ,,,,		
18 to 24 in		1.50	10.00
2 to 3 ft		2.00	15.00
3 to 4 ft		2.50	20 00
4 to 5 ft		T HONEYS	HOKIE
Dwarf evergreen shrub; needs p	protection	in cold re	gions.
9 to 12 in., bushy	40	3.50	
— ruprechtiana, 8'-9' M Creamy white flowers—June. * B	ANCHURIA	N HONEYS	UCKLE
Creamy white flowers—June. * B	Berries red	, sometime	
18 to 24 in			10.00
2 to 3 ft	25	2.00 2.50	15 00
— standishi, 4'-5'		HONEYS	HICKLE
Blush flowers, fragrant. April.		fruit, holo	
well.			
18 to 24 in		2.50	
2 to 3 ft		3.00	
3 to 4 ft		RIAN HONE	YSUCKLE
Flowers and fruit freely produce	d. A mos	st adaptab	
18 to 24 in	. 20	1.50	10 00
2 to 3 ft	25	2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft	35		


	01310071		
LONICERA—continued	Fach	Per 10	Por 100
- xylosteum, 6'-7' EURO	DEAN FIV	HONEVE	T EL 100
Flower creamy white. June. Da	ork red fr	nit	UCKLE
2 to 3 ft	\$ 95	\$2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
MYRICA cerifera, 4'-5 Does well in poor, gravelly soil.	SOUTHER	RN WAXM	YRTLE
Does well in poor, gravelly soil.	Has decor	ative gray	berries,
and glossy green foliage. Good f	or seasho	re.	
12 to 15 in		2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	30.00
OXYDENDRUM arboreum, 25'-30'		C	
Graceful clusters of white flower		500	RWOOD
	s. Augus	st. Good	leathery
foliage. Fine autumn coloring.	0.5	0.00	
2 to 3 ft		6.00	
3 to 4 ft		7.50	
4 to 5 ft	.90	8.50	
PHILADELPHUS avalanche, 3'-4'	DWAE	ь Моско	RANGE
Graceful, arching habit.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft		3.00	25.00
3 to 4 ft	.40	3.50	70.00
			DINGE
— boquet blanc, 3' Wніті Low, dense habit. Blooms freely	Mov. In	T MIOCKO	RANGE
18 to 24 in	.25	ne.	
2 to 2½ ft			
2½ to 3 ft			
3 to 4 ft			
— coronarius, 9'-10'		т Моско	
White fragrant flowers profusely			
2 to 3 ft		2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft	.35	3.00	25.00
— aurea, $4'-5'$	LDEN LEA	F Mocke	RANGE
Dwarf, compact form. Yellow le	eaves.		
12 to 15 in		2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	
2 to 2½ ft	45		
grandiflorus, 7'-8' LARGE		n Mocke	RANGE
Has no fragrance.	2 20 11 2112		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft		3.00	25.00
gordonianus (lewisi), 10'-12'			
Flowers in June-July. Slightly f	GORDO	DI I	RANGE
Flowers in June-July. Slightly I	ragrant.		15.00
2 to 3 ft	25	2.00	
J 10 1 11	00	2.50	20.00
4 to 5 ft		3.00	25.00
— lemoinei, 4'-5'		E Mocke	RANGE
Good compact habit. Flowers s	weetly sc		
15 to 18 in		1.50	
18 to 24 in		2.00	
2 to 2½ ft	30	2.50	
— pubescens, 12'-15'		и Моско	RANGE
Large white scentless flowers, Ju	ne-July.		
2 to 3 ft	25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft		3.00	
— virginalis, 7'-8'		ь Моско	RANGE
Beautiful semi-double flowers			
summer.	Journal		and the same
2 to 3 ft	.50	4.50	
* to o It	.00	1.00	



Partial view of seed field. This gives an idea of the extent of our facilities gladly mail it on request to nurserymen engaged in growing stock and enti


PHILADELPHUS—continued Each Per 10 Per 100

— zeyheri, 8'-9'	ZEYHE	в Москов	RANGE
18 to 24 in			
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
PHOTINIA villosa, 8'-9'	REDBER	RIED PHO	TINIA
Flowers white, June. Rich scarlet	berries	profusely	borne in
autumn. Splendid foliage for cold	or and to	exture.	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
POTENTILLA fruticosa, 3'-4'	SHRUE	BY CINQU	EFOIL
Blooms profusely, yellow, June-Se	ept. Ve	ry adapta	ble and
useful shrub.	•		
15 to 18 in	.25	2.00	\$15.00
18 to 24 in	.30	2.50	20.00
2 to 2½ ft	.35	3.00	
PRINOS (See ILEX)			
PRUNUS maritima, 9'-10'		Beach	Plum
C 11 1.1 0 A 11 T			
Small white nowers, April. Fru	its are	purple. 🗧	Splendid
Small white flowers, April. Fru subject for sandy soils or near seas	its are shore.	purple.	Splendid
subject for sandy soils or near seas	its are shore. .30	purple. S 2.50	Splendid
subject for sandy soils or near seas	shore.		Splendid
subject for sandy soils or near seas	shore. .30 .35	2.50	Splendid
subject for sandy soils or near seas 18 to 24 in	shore. .30 .35	2.50	Splendid
subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40	2.50 3.00 anking Ce	IERRY
subject for sandy soils or near seas 18 to 24 in	shore. .30 .35 .40	2.50 3.00 anking Ce	IERRY
subject for sandy soils or near seas 18 to 24 in. 2 to 3 ft. 3 to 4 ft. pissardi (See Trees) tomentosa, 6'-7' Fruits are light red. Flowers wh Very showy.	shore. .30 .35 .40 NA	2.50 3.00 anking Ce ore leaves	ierry appear.
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers where	shore. .30 .35 .40 NA nite, befo	2.50 3.00 ANKING CE ore leaves 3.00	IERRY
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft. 3 to 4 ft. pissardi (See Trees) tomentosa, 6'-7' Fruits are light red. Flowers where we will be subjected by the season of	.30 .35 .40 NA nite, befo	2.50 3.00 2.NKING CE 3.00 3.50	ierry appear.
subject for sandy soils or near seas 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers where we will be a ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.30 .35 .40 NA nite, before .35 .40 .45	2.50 3.00 2.00 2.00 3.00 3.50 4.00	HERRY appear. 25.00
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft. 3 to 4 ft. — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers what were shown. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — trilaba, 7'-8'	.30 .35 .40 NA nite, befo .35 .40 .40 .45	2.50 3.00 2.00 2.00 3.00 3.50 4.00 3.50	HERRY appear. 25.00
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft. 3 to 4 ft. — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers where we will be subjected by the	.30 .35 .40 NA nite, before .35 .40 .45 Door Handson	2.50 3.00 2.00 2.00 3.00 3.50 4.00 3.60 HLE FLG.	HERRY appear. 25.00 PLUM eful.
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft 3 to 4 ft — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers where we will be supported by the season of the sea	shore30 .35 .40 NA nite, before .35 .40 .45 Door Handson .40	2.50 3.00 3.00 2.00 3.50 4.00 3.50 4.00 BLE FLG. ne and use 3.50	appear. 25.00 PLUM eful. 30.00
subject for sandy soils or near seas 18 to 24 in 2 to 3 ft. 3 to 4 ft. — pissardi (See Trees) — tomentosa, 6'-7' Fruits are light red. Flowers where we will be subjected by the	.30 .35 .40 NA nite, before .35 .40 .45 Door .40 .50	2.50 3.00 2.00 2.00 3.00 3.50 4.00 3.60 HLE FLG.	25.00 PLUM eful. 30.00 40.00



growing our lining-out stock. We issue a special list on this material and will

Each Per 10 Per 100 PTELEA (See Trees) PRYUS arbutifolia (See Aronia) floribunda (See Malus-Trees) RHAMNUS cathartica, 9'-10' COMMON BUCKTHORN Dark green leaves, black berries. Valuable background shrub. 2 to 3 ft............ \$.25 \$2.00 3 to 4 ft..... .30 2.50 4 to 5 ft35 3.00 frangula, 8'-9' GLOSSY BUCKTHORN Berries red, changing to black. 2 to 3 ft..... .25 2.00 3 to 4 ft..... .30 2.50 4 to 5 ft..... .35 3.00 RHODOTYPUS kerrioides, 4'-5' JETBEAD Fresh green foliage, pure white flowers, May-June. Shining black bead-like berries all winter. .30 2.50 2 to 3 ft...... .35 3.00 3 to 4 ft... .40 RHUS canadensis (aromatica), 4'-5' FRAGRANT SUMAC Clusters of small yellow flowers, April-May. Most attractive in June when covered with coral-red fruits. drought. Aromatic foliage. Withstands .30 2.50 2 to 3 ft..... .35 3.00 3 to 4 ft..... .40 3.50 SHINING SUMAC copallina, 12'-13' Showy crimson fruits; good autumn coloring. Makes show in poor arid situations; good for massing. .20 1.50 \$10.00 .25 2.00 15.00 .30 2 to 3 ft..... 2.50 20.00



Azalea hinodegiri at Princeton. This shows part of our stock of this variety. Note how symmetrical and bushy the plants are. See page 42.

RHUS—continued	Each	Per 10	
— cotinus, 10'-12'		Smoke	TREE
Purple fringe.			
18 to 24 in	\$.50		
2 to 3 ft	.75		
3 to 4 ft	1.00		
— glabra, 10'–12'		SMOOTH	
Crimson fruits in bunches; rich au	ıtumn c	oloring; t	hrives in
poor soils.			
2 to 3 ft	.20	\$1.50	\$10.00
3 to 4 ft	.25	2.00	15.00
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.35	3.00	-
		SMOOTH S	SUMAC
Delicately cut leaves; grows slowly	У		
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.50	
2½ to 3 ft	.45	4.00	-
— javanica (osbecki), 8'-10'		JAVA	SUMAC
Has handsome foliage.			
2 to 2½ ft	.30		~
— typhina, 15′–18′		TAGHORN	SUMAC
Picturesque habit; brilliant autum			
2 to 3 ft	.20	1.50	10.00
3 to 4 ft	.25	2.00	15.00
4 to 5 ft	.30	2.50	20.00
—— laciniata, 14′–15′ Cur			
Leaves are finely cut, giving attract		thery app	
18 to 24 in	20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
RIBES odoratum (aureum), 7'-8'		OLDEN CU	
		or under p	
2 to 3 ft	.30	2.50	20.00 25.00
3 to 4 ft	.35	3.00 3.50	25.00
4 to 5 ft	.40	Rose A	G L GT L
ROBINIA hispida, 5'-6'	or Tune		
Rosy pink, attractive flowers, M	ay-June	. DOOR	develops
into a mass.	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
J to #11	.00	3.00	20.00
3 to 4 ft	.35	3.00	25.00

	Each	Per 10	Per 100
POSA blanda 1'-5'	Lucii		
ROSA blanda, 4'-5'	1. 1 1	MEADOW	ROSE
Pink, May. Almost thornless; rede		anches.	
18 to 24 in	\$.25	\$2.00	
2 to 3 ft	.30	2.50	
— humilis, 3'-4'	•••	PASTURE	Roge
— numins, 5 –4		LASTURE	NOSE
Pink, May-June.			
2 year	.25		
— lucida, 5'-6'		VIRGINIA	Rose
Pink, June. Red decorative fruits.			
	.20	1.50	
15 to 18 in		1.50	
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
— multiflora japonica, 9'-10'		JAPANESE	ROSE
White, June. Vigorous, free flower			1000
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
— nitida, 3'-4'		BRISTLY	Rose
Deep pink, June. Good for holding	r hank		
	5 Dank	and gene	iai mass
planting; good autumn coloring.	•	7	
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
	.30	2.50	
2 to 3 ft	.00	SWAMP	Door
- parustris (caronna), 0-7	,		ROSE
Pink, May-July. Good for swamp	y place	s.	
15 to 18 in	.20	1.50	
	.25	2.00	
18 to 24 in		SWEET	DDIED
	1:		
Bright pink flowers, June. Good for			
18 to 24 in	.30	2.50	\$20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
	.10		
— rubrifolia (ferruginea), 5'-6'		REDLEAF	
Has distinct purplish-red leaves	and	oark; good	winter
subject.			
18 to 24 in	.25	2.00	
	.30		
2 to 3 ft		2.50	
3 to 4 ft	.35		
— rugosa, 4'-5'	RE	D RUGOSA	Rose
Handsome shrub, large pink flower	s. June	-Sept. Ri	ch green
foliage and large red fruits; useful	ither i	n shrubber	v border
	ertifier r	u siii ubbci	y border
or as hedge.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
			_
— — alba, $4'-5'$		E RUGOSA	ROSA
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
— setigera, $5'-6'$		PRAIRIE	ROSE
Door for I I I'	man		11035
Deep rose flower, June-July. Vigo			10.00
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
	.30	2.50	20.00
3 to 4 ft	0	SCOTCH	
— spinosissima, 3-4	,	SCOTCH	ROSE
A dainty grower, but compact; but	ranches	covered v	with soft
thorns; attractive small foliage.			
12 to 15 in	.30	2.50	
	.40	3.50	
15 to 18 in			
18 to 24 in	.50	4.50	
CLIMBING AND WRATE	INC D	OCEC	
CLIMBING AND TRAIL			D 100
	Each	Per 10	Per 100
- American pillar, single red, white	center		
18 to 24 in	.25	2.00	15.00
		3.00	25.00
2 to 3 ft	.35	3.00	20.00



Part of our evergreens. On the right are Juniper pfitzeriana, one of the best and hardiest evergreens. See page 44.

	Each	Per 10	Per 100
— crimson rambler			
18 to 24 in	\$.25	\$2.00	
2 to 3 ft	.30	2.50	
-Pauls scarlet climber			
18 to 24 in	.30	2.50	
2 to 3 ft	35	3.00	
— tausendschon		SAND BEA	UTIES
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50 4	
-wichuraiana, white		[EMORIAL	
2 to 3 ft	.25	2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
Dr. W. Van Fleet, shell pink			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
Dorothy Perkins, pink			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
white			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
— — excelsa	RED DOROTHY PERKINS		
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
gardenia, yellow			
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
hiawatha, single red	•10	0.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
silver moon, semi-double white	.00	0.00	
18 to 24 in	.35	3.00	
2 to 3 ft	.33 .40	3.50	
3 to 4 ft	.45	4.00	
	.40	4.00	
— yellow rambler 18 to 24 in	0.5	2.00	
	.25	2.00	
2 to 3 ft	.30	2.50	

PRINCETON, NEW JERSEY			33
BUSH ROSES			
	Each	Per 10	Per 100
- hybrid perpetual, assorted	\$.40	99 50	
No. 1	.30	\$3.50 2.50	
— teas and baby ramblers, assorte	d		
No. 1 No. 2, 2 yr	.50 .40	4.50 3.50	
		NG RASP	DEDDY
Rose-colored, fragrant flowers p.odu	iced all s	ummer.	
larly good for covering banks, espe			
2 to 3 ft	.30	$\frac{2.00}{2.50}$	
4 to 5 ft		3.00	
SALIX (See Trees)			
SAMBUCUS canadensis, 8'-9'	A:	MERICAN	ELDER
Useful for swampy places; fragran 2 to 3 ft	t nowers .30		
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	F
—— acutiloba, 8'-9' Cut Leaves intricately cut.	LEAF A	MERICAN	LLDER
2 to 3 ft	.30	2.50	
3 to 4 ft	.35 .40	$\frac{3.00}{3.50}$	
4 to 5 ft		MERICAN	ELDER
Has conspicuous yellow foliage.			
18 to 24 in	.25 .30	2.00 2.50	15.00 20.00
3 to 4 ft		3.00	25.00
— pubens, 7'-8'		SCARLET	ELDER
Flowers in April-May. Bright red f attractive.	ruits rip	ens in Ju	ne. Very
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40 Europi	3.50 EAN RED	ELDER
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
3 to 4 ft	ASHMIR	FALSE S	PIRAEA
Graceful, compound foliage; flow	ers crea	amy whi	te, July-
Sept. 2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
4 to 5 ft	.45	4.00	
— sorbifolia, 4'-5' Fluffy heads of white flowers, June		FALSE S	PIRAEA
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00 ARLAND S	DIDAEA
Small light green leaves; very free			
to, but more vigorous than thunb	ergi.		
12 to 18 in. 18 to 24 in.	.20 .25	$\frac{1.50}{2.00}$	
2 to 2½ ft	.30	2.50	
— billardi, 5'-6'		ILLIARD S	
Bright pink fluffy flower spikes, J dry places.	ury-Octo	ber. va	idable for
18 to 24 in	.20	1.50	
2 to 3 ft	.25 .30	2.00 2.50	
— bumalda, 3'	Βt	MALDA S	PIRAEA
Light pink flower, July-Sept. A g	ood dwa	arf "facin	g'' shrub.
18 to 24 in	.35 .40	3.00 3.50	25.00 30.00
	.10	0.00	50.00



In the foreground is part of a row of Retinospora squarrosa veitchi. They are sheared and are almost as broad as they are high. Next is Retinospora pisifera, which is a more open grower, although the plants have been sheared frequently. Behind is Juniper cracovica and other sorts. See pages 48 and 49.

Each Per 10 Per 100

WATERER SPIRAEA

SPIRAEA-continued

anthony waterer, 3'

— anthony waterer, 5	772	ATERER DE	IKALA
Deeper rose pink than preceding;	very	free flower	ering all
summer.			
	\$.25	\$2.00	\$15.00
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	40	3.50	30.00
$2\frac{1}{2}$ to 3 ft	.45	4.00	35.00
— — froebeli, 4'	F	ROEBEL SE	IRAEA
Smaller, but more vigorous than pre	eceding	g.	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
2½ to 3 ft	.35	3.00	
— fortunei (callosa rosea), 3'	Fe	ORTUNE SP	IRAEA
Pink flowering; more vigorous for	m of	following	variety.
18 to 24 in	.25	2.00	· ·
2 to 2½ ft	.30	2.50	
— japonica (callosa alba), 3'	JAI	PANESE SP	TRAEA
White, June-July. Purplish-green for			
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	
— opulifolia, 9'-10'		NINI	EBARK
Creamy white, June. Vigorous, goo	d for s	shade.	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
$-\neq$ aurea, 9'-10'	GOLD	LEAF NINI	EBARK
2 to 3 ft	.25	2 00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— prunifolia, 7'-8'		Bridalwi	DEL MET
White, May. Free-flowering; hands	come d		
foliage, turning orange in autumn.	some c	iark green	Sillling
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	35.00
200010111111111111111111111111111111111	.10	1.00	00.00

	0231002		
SPIRAEA—continued	Each	Per 10	Per 100
— reevesiana, 7'-8'			
Dung white Man Inna County	.11	REEVES S	PIRAEA
Pure white, May-June. Gracefu	u, aren	ing nabit	; retains
leaves until late.	A 05	00.00	A1 = 00
18 to 24 in	\$.25	\$2.00	\$15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— salicifolia, 4'-5'	Willo	WLEAF SI	PIRAEA
Rose-colored flowers, June-July.			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
— thunbergi, 4'-5'	Тит	NBERG S	DIDATA
Slender, arching branches clothed	with n	ure-white	Howers
April-May. Small, feathery, light	t_areen	leavee	Valuable
for seaside planting.	t-green	icaves.	varuable
12 to 15 in	.20	1.50	10.00
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
0 to 01/2 ft	.35	3.00	20.00
2 to 2½ ft	.55		
— tomentosa, 3'-4'	_		DHACK
Woolly, rose-pink flowers, July-Sept		es brownis	sh under-
side. Good in masses for low ground			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
— van houttei, 8'-9'	VANH	OUTTE SE	TRAEA
White, May-June. Graceful habit.			
and very adaptable.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— wilsoni, 8'-9'		VILSON SE	
	.30	TLSON SP	TRAEA
2 to 3 ft	.40		
3 to 4 ft	_		
STAPHYLEA colchica, 10'-12'		is Bladdi	
Flowers white, May-June. Fragran		orative se	ed pods.
2 to 3 ft	.50		
3 to 4 ft	.60		
4 to 5 ft	.70		
STEPHANANDRA flexuosa, 5'-6' Cu	TTLEAF	STEPHAN	ANDRA
Graceful, compact habit; handsome	e foliage	OIEI IIAI	ANDIIA
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
	. 10	0.00	00.00
STYRAX japonica, 12'-15'			
White, bell-shaped, pendant flowe	rs, June	e-July. I	Makes a
handsome specimen.			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
4 to 5 ft	.55		
SYMPHORICARPOS racemosus, 5'-6'		Snowi	DEPLY
Committee Property of the Committee Property	falia		
Conspicuous, white berries, attracti	ve iona	ge. Mos	t adapt-
able, but best in half shady moist le			15.00
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— vulgaris, 4'-5'		CORALI	
Coral red berries persisting through	ghout w	inter. G	food for
shade, and bank planting.			
18 to 24 in	20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00

	Each	Per 10	Per 100
SYRINGA chinensis (rothomagensis),	8'-9'	CHINESE	LILAC
Slender branches, graceful habit			
Free flowering.			v
18 to 24 in	\$.35	\$3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4 00	
— — saugeana, 8'-9'	PURPLE	CHINESE	LILAC
Deep purple flowers.			
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
— japonica, 18'-20'	JAPANE	SE TREE	LILAC
Loose bunches creamy white flow	ers, June-	July. Ha	andsome
foliage; grows into well-shaped sp			
2 to 3 ft	.40	3.50	\$30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	
— josikaea, 9 −10′	Hυ	NGARIAN	LILAC
Violet flowers, June. Good shinir	ig dark g	reen folia	ge.
18 to 24 in	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
— persica, 9'-10'	PERSIAN	PURPLE	LILAC
Blooms freely, lilac, May-June.			
18 to 24 in	.30		
2 to 3 ft	.35		
— villosa, 7'-8'		LATE	LILAC
Pale pinkish-lilac, June. Fragra:	nt; bush;	y, compa	et habit.
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
— vulgaris, 12'-15'	Common	PURPLE	LILAC
Blooms in early May.			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
— — alba, $12'-15'$	Соммо	N WHITE	LILAC
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	

FRENCH LILACS—NAMED VARIETIES

These are all grown from cuttings and are on their own roots, which is the best way Lilacs can be grown, as they will not sucker. It is the most expensive way to grow them, but our prices compare favorably with the cheap, grafted stock. These Named Lilacs generally grow from 6'-12' in height, depending on the variety and locality.

	Each	Per 10
18 to 24 in	\$.40	\$3.50
2 to 2½ ft	.45	4.00
$2\frac{1}{2}$ to 3 ft	.50	4.50
3 to 4 ft	.60	5.50

Alphonse Lavalle, double light purple Charles the Tenth, reddish purple, single Ludwig Spaeth, single reddish purple Michel Buchner, double lilac Marie Le Graye, single white Mme. Lemoine, double white Mme. Casimir Perrier, double white President Grevy, double blue Rubra de Marly, single light blue Wm. Robinson, double violet pink

		Per 10	
TAMARIX africana, 12'-14'	Aff	ICAN TAN	IARIX
Pink, April-May. Has feathery,	gray-gre	en foliage	. Very
effective near water—thrives at sea		02.00	01 = 00
2 to 3 ft	\$.25	\$2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— gallica, 8'-9'		ENCH TAN	IARIX
Light pink, May-July, blue-green for 2 to 3 ft		2.00	15.00
3 to 4 ft	.25 .30	2.50	15.00 20.00
4 . ~ 0.	0.5	0.00	2 = 20
- pentandra (aestivalis), 10'-12'	Fivren	AMENT TAN	LO.UU
Deep rose, flowers late.	IIVESI.	AMEN IA	AMIA
18 to 24 in	.25		
2 to 3 ft	.30		
3 to 4 ft	.35		
		EAF VIBU	DATITA
White May-June Black fruits r	nanla-lik	a lanvac	turning
White, May-June. Black fruits, repurple in autumn; good for dry sha	adv plac	e icaves,	turning
18 to 24 in	30	2.50	
2 to 3 ft	.35	3.00	
— americanum (oxycoccos), 8'-9' AMER			
Bright scarlet berries in large bund	hoa non	KANBERRY	BUSH
18 to 24 in		2.50	winter.
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
- cassinoides, 5'-6'	. 10		D ==
White, June-July. Berries pink,	ah an mi	WITHE	-KOD
Rich autumn coloring; splendid for	maggin	ng to dai	K Diue.
18 to 24 in	.30	2.50	water.
2 to 3 ft	.35	3 00	
3 to 4 ft	.40	3.50	
- dentatum, 10'-12'		ARROW-	Voor
White, May-June. Berries blue	blook	ARROW-	ooloring
purple and red; thrives in wet soil.	-Diack,	autumm	coloring
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3 00	25.00
3 to 4 ft	.40	3.50	30.00
— dilatatum, 8'-9'	LINI	DEN VIBU	RNIIM
White, May-June. Scarlet showy l			
some and valuable.	оситсь р	croincing.	220110
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
lantana, 15'-18'	WA	YFARING	TREE
White, May-June. Handsome, day			
Berries red, changing to black.	8	,	
18 to 24 in	35	3.00	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	35.00
4 to 5 ft	.50	4.50	
4 to 5 ft	LEAF WA	YFARING	TREE
Has larger and more wrinkled leave	es.		
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
4 to 5 ft	.45	4.00	
- lentago, 18'-20'	ii 1	NANNYB	erry e-black
White, May-June. Handsome, shi	ining lea	ives. Blu	e-black
fruits. Splendid shrub for massing.	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	35.00
r 60 0 16	. 10	1.00	00.00

VIBURNUM—continued	Each	Per 10	Por 100
— molle, 10'-12'	KENTU	ску Vіві	URNUM
Larger, darker green leaves, but tatum."	otherwis	e similar	to "den-
tatum."			
18 to 24 in	\$.30	\$2.50	\$20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	
	DE LAT CI	RANBERRY	Pron
			DUSH
18 to 24 in		2.50	
2 to 3 ft	.35	3.00	
— — nanum, 18''-24''	OWARF (RANBERR	YBUSH
Useful edging or facing shrub. Ran	ely flowe	rs. Very	compact.
4 to 6 in	.20	1.50	1
6 to 8 in	.25	2.00	
8 to 10 in	.30	2.50	
— — sterile, 9'-10'	Cox	MON SNO	W DATT
Has showy, round head of white f	lowers, r		•
18 to 24 in	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
— prunifolium, 10'-12'			CKHAW
Pure white flowers, April-June. B	lue-blacŀ	k, glaucou	s berries.
Sturdy habit; handsome shrub.		, 0	
18 to 24 in	.35	3.00	
0 1- 01/f1			
2 to 2½ ft	.45	4.00	
— sieboldi (japonicum), 9'-10'	SIE	BOLD VIBU	TRNIIV
White, May-June. Berries pink,	ohongina	to blook	Hand
white, May-June. Derries pink,	cua ng mg	to black	. nand-
some, large, dark green leaves. V			
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
		file Vibu	
Flat heads of white flowers, June.	Berries re	ed to blacl	k. Good
foliage.			
18 to 24 in	.30	2.50	
	.35	3.00	
2 to 3 ft			
3 to 4 ft	.40	3.50	
— — plicatum, 7'-8'	LABAS	VESE SNO	TT A CT
Showy white flowers in balls, June			
	. Hand	some fon	age with
purple autumn coloring.			
12 to 18 in	.30	2.50	20.00
18 to 24 in	.40	3.50	30.00
2 to 2½ ft	.45	4.00	
$2\frac{1}{2}$ to 3 ft	.50	4.50	
	.60	5.50	
3 to 4 ft	.00	3.30	
VITEX agnus-castus, 4'-5'	LILA	c Chaste	-Tree
Dainty looking shrub; clusters of	f lilac fl	owers A	ug -Sent
Gray-green, star-shaped leaves; p	nofora au	nny loost	ion
Oray-green, star-snaped leaves, p.			1011.
18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
WEIGHT 1:1 %/ o		D - W-	
WEIGELA amabilis, 7'-8		Rose We	CIGELA
Light pink.			
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
— candida, 7'-8'	H	VHITE WE	CIGELA
Large, pure white flowers.			
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft			00.00
4 to 5 ft	.45	4.00	

WEIGHT A 1	D 1	D 10	D 100
WEIGELA—continued —Eva Rathke, 4'-5'	RED FLOW	Per 10	
Carmine, June-August. Most f		VERED WE	IGELA
12 to 18 in		\$2.50	
18 to 24 in		3.00	
2 to 2½ ft	40	3.50	
2½ to 3 ft	45	4.00	
3 to 4 ft	55	5.00	
— floribunda, 7'-8'	Cr	imson We	IGELA
Crimson, June. Free flowering.			
2 to 3 ft		3.00	
3 to 4 ft	40		
Bright crimson.	CRIMSON I	ELWD. WE	IGELA
2 to 3 ft	30	2.50	
3 to 4 ft		3.00	
- Mme. Billard	00	5.00	
18 to 24 in	25	2.00	
2 to 3 ft	30	2.50	
3 to 4 ft		3.00	
- nana variegata, 4'-5' V	ARIEGATED	LEAF WE	IGELA
3 to 4 ft	ves; dwarf	, compact	growth.
18 to 24 in	35	3.00	\$25.00
2 to 2½ ft		3.50	30 00
2½ to 3 ft		4.00	35.00
3 to 4 ft	50	4.50	
- rosea, 7, -8'	1.7	PINK WE	
Showy, pink flowers freely produ			
18 to 24 in		$\frac{2.00}{2.50}$	15.00 20.00
2 to 3 ft	35	3.00	25.00
3 to 4 ftZANTHORHIZA apiifolia, 2'-3'	55	YELLOV	
Good ground cover. Will succe	ed on dry		
-t. C. II . I'l d	ca on ary,	Sundy Sor	i, occitato,
etc. Small purplish nowers. M.	av-June.		
etc. Small purplish flowers, March 12 to 15 in		1.50	10.00
12 to 15 in	20	1.50 2.00	10.00 15.00
12 to 15 in	20		
12 to 15 in 15 to 18 in 18 to 24 in	20 25 30	2.00 2.50	15.00
12 to 15 in	20 25 30	2.00 2.50	15.00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT	20 25 30	2.00 2.50 VINES	15.00 20.00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30'	20 25 30 S AND Each	2.00 2.50 VINES Per 10 OWER ACT	15.00 20.00 Per 100
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT	20 25 30 S AND Each	2.00 2.50 VINES Per 10 OWER ACT	15.00 20.00 Per 100
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries.		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage.	15.00 20.00 Per 100
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in.	20 25 30 S AND Each Bdark green	2.00 2.50 VINES Per 10 DWER ACT: 1 foliage. \$3.00	15.00 20.00 Per 100
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft.	20 .25 .30 S AND Each Bodark green . \$.35	2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50	15.00 20.00 Per 100
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft.	20 .25 .30 S AND Each Bodark green . \$.35	2.00 2.50 VINES Per 10 DWER ACT of foliage. \$3.00 3.50 4.00	15.00 20.00 Per 100 INIDIA Yellow
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20'		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter.	20	2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 vear.		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 vear.		2.00 2.50 VINES Per 10 DWER ACT: foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year AMPELOPSIS quinquefolia, 30'-50		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn	20 .25 .30 S AND Each Both Both Both Both Both Both Both Bot	2.00 2.50 VINES Per 10 DWER ACT: foliage. \$3.00 3.50 4.00 IVELEAF A	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in 2 year medium, 2 to 3 ft.		2.00 2.50 VINES Per 10 OWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A May. De-	15.00 20.00 Per 100 INIDIA Yellow KEBIA EEPER
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in 2 year medium, 2 to 3 ft. — engelmanni, 30'-40'		2.00 2.50 VINES Per 10 DWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec	15.00 20.00 Per 100 INIDIA Yellow KEBIA Pep green 6.00 12.00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — engelmanni, 30'-40' A good, self-clinging woodbine;	20	2.00 2.50 VINES Per 10 DWER ACT: 1 foliage. \$3.00 3.50 4.00 IVELEAF AMAY. December 1.00 1.60 LMANN CR	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green 6.00 12.00 EEPER
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. ——engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year light, 18 to 24 in.	20 .25 .30 S AND Each Both Both Both Both Both Both Both Bot	2.00 2.50 VINES Per 10 DWER ACT: 1 foliage. \$3.00 3.50 4.00 VELEAF A May. Dec	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green 6.00 12.00 EEPER 8.00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft.		2.00 2.50 VINES Per 10 DWER ACT: in foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec 1.60 LMANN CR y. 1.20 1.80	15.00 20.00 Per 100 INIDIA Yellow KEBIA PER G.00 12.00 EEPER 8.00 15 00
12 to 15 in 15 to 18 in 18 to 24 in CLIMBING PLANT CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in 2 year medium, 2 to 3 ft. ——engelmanni, 30'-40' A good, self-clinging woodbine; 2 year medium, 2 to 3 ft. — year medium, 2 to 3 ft. — veitchi, 40'-50'	20	2.00 2.50 VINES Per 10 DWER ACT In foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec 1.00 1.60 LMANN CR y. 1.20 1.80 ANESE CR	15.00 20.00 Per 100 INIDIA Yellow KEBIA ep green 6.00 12.00 EEPER 8.00 15 00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — veitchi, 40'-50' Brilliant autumn coloring, b		2.00 2.50 VINES Per 10 DWER ACT: In foliage. \$3.00 3.50 4.00 IVELEAF A May. Des RIGINIA CR 1.00 1.60 LMANN CR y. 1.20 1.80 ANIESE CR	15.00 20.00 Per 100 INIDIA Yellow KEBIA PEPER 6.00 12.00 EEPER 8.00 15 00 EEPER 15 00
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. ——engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — veitchi, 40'-50' Brilliant autumn coloring, b closely self-clinging.	20 .25 .30 S AND Each Both Both Both Both Both Both Both Bot	2.00 2.50 VINES Per 10 DWER ACT. 1 foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec. RGINIA CR 1.00 1.60 LMANN CR y. 1.20 1.80 ANESE CR s, turning	Per 100 Per 100 Per 100 NNIDIA Yellow KEBIA Pep green 6.00 12.00 EEPER 8.00 15 00 EEPER 5 black;
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. ——engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — veitchi, 40'-50' Brilliant autumn coloring, be closely self-clinging. 1 year light, 12 to 15 in.		2.00 2.50 VINES Per 10 DWER ACT In foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec 1.00 1.60 LMANN CR y. 1.20 1.80 ANESE CR s, turning	Per 100 NIDIA Yellow KEBIA Pep green 6.00 12.00 EEPER 8.00 15 00 EEPER g black;
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — engelmanni, 30'-40' A good, self-clinging woodbine; 2 year medium, 2 to 3 ft. — veitchi, 40'-50' Brilliant autumn coloring, be closely self-clinging. 1 year light, 12 to 15 in. 1 year med., 15 to 18 in.		2.00 2.50 VINES Per 10 ower Act of foliage. \$3.00 3.50 4.00 iveleaf A May. De RIGINIA CR 1.00 1.60 LMANN CR y. 1.20 1.80 ANESE CR s, turning	15.00 20.00 Per 100 INIDIA Yellow KEBIA Pep green 6.00 12.00 EEPER 8.00 15.00 EEPER 9 black;
12 to 15 in. 15 to 18 in. 18 to 24 in. CLIMBING PLANT ACTINIDIA arguta, 20'-30' Greenish white, July. Rich, berries. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. AKEBIA quinata, 15'-20' A dainty, beautiful vine, purp leaves, persisting until winter. 2 year. 3 year. AMPELOPSIS quinquefolia, 30'-50 Valuable for rich, fiery autumn 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. ——engelmanni, 30'-40' A good, self-clinging woodbine; 2 year light, 18 to 24 in. 2 year medium, 2 to 3 ft. — veitchi, 40'-50' Brilliant autumn coloring, be closely self-clinging. 1 year light, 12 to 15 in.	20 .25 .30 S AND Each Bdark greet . \$.35 .40 .45 Fele flower, 130 .40 .VU coloring12 .15 .20 .25	2.00 2.50 VINES Per 10 DWER ACT In foliage. \$3.00 3.50 4.00 IVELEAF A May. Dec 1.00 1.60 LMANN CR y. 1.20 1.80 ANESE CR s, turning	Per 100 NIDIA Yellow KEBIA Pep green 6.00 12.00 EEPER 8.00 15 00 EEPER g black;

	Each	Per 10	Per 100
BIGNONIA radicans, 20'-30'	TRU	MPET CR	EEPER
Showy, trumpet-shaped flowers, Roots as it climbs.	scarlet a	nd oran	ge, July.
1 year 18 to 24 in	\$.20	\$1.50	\$10.00
2 year 2 to 3 ft	.25	2.00	15.00
—— grandiflora Сн	NESE TE	UMPETCH	EEPER
One of the handsomest of flowering	vines w	ith large	trusses of
orange yellow flowers, July and Au	igust. 50	4.00	
2 vr. grafts	.75	6.50	
1 yr. grafts. 2 yr. grafts. 3 yr. grafts.	1.00	9.00	
CELASTRUS orbiculatus (articulatus), 15'-20'	ORIENTA	L BITTER	SWEET
Has very decorative orange and cri	imson be	rries whic	h persist
all winter. Picturesque, shrubby	growth.	iiics wiii	n persist
2 year	.25	2.00	15.00
2 year	.30	2.50	20.00
— scandens, 20'-25'	AMERICAL	N BITTER	SWEET
Most adaptable vine with orange a	and red b	perries th	at retain
color when cut and dried.	90	1.50	10.00
1 year—18 to 24 in	25	2.00	
3 year— 3 to 4 ft	.30	2.50	20.00
CLEMATIS naniculata, 20'-25' Sw	EET AU	UMN CLI	EMATIS
White, fragrant flowers, Sept. Wo	ooly seed	pods als	o attrac-
tive.		•	
2 year first class	.25	2.00	15.00
2 year extra	.30	2.50	20.00
3 year	.35	3.00	25.00
EUONYMUS (See EVERGREENS)		_	_
HEDERA helix, 20'-50'		Englis	
Evergreen; good ground cover in s	shady loc	eations.	An ideal
wall cover. 1 year field grown	.25	2.00	15.00
3 inch pots	.30	2.50	20.00
3 inch pots. HYDRANGEA scandens One of the best wall covers with pr	CLIMBIN	G Hynn	ANGEA
One of the best wall covers with pr	ofusion	of white f	lowers in
June.			
2 year, 3 inch pots	.50		
JASMINUM (See SHRUBS)			
LONICERA belgica			
2 year. — japonica (brachypoda), 15'-20'	.25		
— japonica (brachypoda), 15'-20'	Japanesi	HONEYS	SUCKLE
Rapid grower and blooms freely fr	om June	to Sept.	Useful
for covering steep banks. Almost	evergree:	1.50	10.00
2 yr 3 yr	.25	2.00	15.00
— — aurea, $15'-20'$ JAPANESE	GOLDEN	HONEYS	UCKLE
Leaves veined golden yellow.			
2 year	.20	1.50	
3 year	.25	2.00	
— halliana, 15'-25' HALL JA Grows rampantly. Blooms free	IPANESE lv. dolic	HONEYSU	CKLE ragrant
1 year first class	.20	1.50	10.00
2 year first class	.25	2.00	15.00
3 year first class	.30	2.50	20.00
		Honeysu	JCKLE
Flowers purple outside, yellow inside			
2 year	.20 .25	$\frac{1.50}{2.00}$	
3 year		Honeysu	JCKLE
Bright, scarlet, showy flowers, July			
2 year	.25	2.00	
3 year	.30	2.50	

Each Per 10 Per 10
LYCIUM barbarum, 10'-12' BARBARY MATRIMONY-VINE Violet flowers in June, followed by bright red fruits; useful fo banks or hanging over retaining walls.
18 to 24 in \$.20 \$1.50 \$10.00 \$2 to 3 ft
- chinense, 12'-15' CHINESE MATRIMONY-VINE
More vigorous and fruitful than preceding. 18 to 24 in
PUERARIA thunbergiana, 40'-50' KUDZU VINE 1 year first class .25 2.00 1 year heavy .30 2.50
VITIS heterophylla, 20'-30' Handsome foliage, with splendid autumn effect, because o
3 inch pots
WISTERIA multijuga LONGCLUSTER WISTERIA (seedlings), 40'-50' Deep blue, long clusters, May. Seen to best advantage when
trained on old trees or open trellises.
2 to 3 ft
- sinensis (seedlings), 40'-50' CHINESE WISTERIA
Purple-blue flowers about a week before preceding.
2 to 3 ft
3 to 4 ft
2 to 3 ft
- grafted (from good flg. plants) BLUE AND WHITE
2 to 3 ft
18 to 24 in40 3.50 2 to 3 ft50 4.50
3 to 4 ft
EVERGREEN TREES AND SHRUBS
Princeton Evergreens have been transplanted frequently
Each time they have been given ample room for proper growth
Every one is sheared into a symmetrical shape. Freshly dug in the nursery for your individual order. Balled and burlapped, a
prices named, unless marked with an "*". Each Per 10 Per 100
ABIES concolor, 70'-80' WHITE FIR
Grows quickly and forms symmetrical, beautiful specimen Large, gray-green needles.
18 to 24 in
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
- douglasi (See PSEUDOTSUGA douglasi)
- nordmanniana, 60'-70' NORDMANN FIR Grows slowly when young. Flat leaves are rich, shining
green above, silvery white beneath. 2 to 3 ft
3 to 4 ft
Forms slender pyramid; grows vigorously.
— Spruce (See PICEA)
ANDROMEDA catesbaei (See LEUCOTHOE) — japonica (See PIERIS)

THINGETON NORS	EILLES		
AZALEA amoena, 3'-4'	Each	Per 10	Per 100
Conspicuous purple-red flowers, Ar	oril-Ma	y, Leav	es turn a
rich, bronze-green in winter.			
6 to 8 in.*	\$.60	\$5.50	\$50.00
10 to 12 in	$\frac{.75}{1.00}$	6.00 9.00	55.00 85.00
12 to 15 in	1.25	11.50	110.00
— hinodegiri, 3'-4'			
Larger leaves and looser growth t			
bright carmine-pink; effective in m	iasses c	r with K	nododen.
	0.5	0.00	
6 to 8 in.*	$\frac{.85}{1.00}$	$8.00 \\ 9.50$	75.00 90.00
10 to 12 in	1.25	12.00	110.00
12 to 15 in	1.50	14.00	
— macrantha, 2½'–3'		SALMON A	
A beautiful plant, with large flowers		ppear at	intervals
and not at one time like the preced 6 to 8 in	ling. \$.60	\$5.50	\$50.00
8 to 10 in	.75	6.00	55.00
BERBERIS ilicifolia, 5'-6'		OLLY BAR	
Holly-like leaves, persisting unt			
flowers yellow.			
15 to 18 in	.55 $.65$		
2 to 2½ ft	.75		
	ORIENT	AL ARBOI	RVITAE
Rather stiff, columnar habit; brigh	t green	foliage,	bronze in
winter; a good accent plant.			
18 to 24 in	$\frac{.75}{1.00}$	$6.50 \\ 9.00$	55.00 80.00
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$ $2\frac{1}{2} \text{ to } 3 \text{ ft } \dots$	1.75	16.50	155.00
3 to 4 ft	2.50	24.00	230.00
4 to 5 ft	3.50	34.00	
— — aurea nana, 2½'-3' BERCKMAN			
A gem for dwarf planting; compact golden yellow foliage. Especially a			
edging.	3000 10.	Tormar	work and
8 to 10 in	.85	7.50	
10 to 12 in	1.00	9.00	
12 to 15 in	$\frac{1.25}{1.50}$	11.50	
15 to 18 in		OLD ARBO	DVITATE
Forms a compact, oval-shaped spe			
color.	,	6 ,	
12 to 15 in	.75		
— elegantissima, 7'-8' YELLO	w Corr	MN ARBO	RVITAE
Assumes a rich, deep golden bronze columnar.	color in	winter.	Compact
15 to 18 in	1.25		
18 to 24 in	1.50		
2 to 2½ ft	2.50		
2½ to 3 ft	3.25		т
— rosedale, 3'-4' Fine foliage; soft texture.	Ro	SEDALE I	TYBRID
18 to 24 in	1.50		
BUXUS sempervirens (bush form), 12		Во	XWOOD
Useful for formal hedges.			
8 to 10 in.*	.50	4.00	30.00
10 to 12 in.*	.65 .80	$\frac{5.50}{7.00}$	45.00 60.00
12 to 13 in."	1.00	9.00	00.00
18 to 24 in	1.25	0.00	

BUXUS—continued	Fach	Por 10	Per 100
— suffruticosa, 3'-4'		UEDWAR	
Extensively used for edging.	1 1	UEDWAR	IF DOX
2 to 4 in *		¢ 1.00	0.00
3 to 4 in.*. 4 to 6 in.*.		\$ 1.00	
4 to 6 in.*		1.50	
0 to 8 in		3.50	15.00
8 to 10 in.*		5.00	
COTONEASTER buxifolia			
2 year, 3'' pots	\$.50	4.00	
— horizontalis davidiana, 1'-1½'	Rock	COTONI	EASTER
Small box-like leaves; bright red	berries;	effectiv	e among
rocks.			
2 year, 3'' pots	.50	4.00	
— microphylla, 1½'-2'		Roce	SPRAY
Very small leaves, very deep green.	Rather	more bu	shy than
preceding.			
2 year, 3'' pots	.50	4.00	
— — thymifolia	Тнүме	COTONE	EASTER
2 year, 3'' pots	.50	4.00	
CRATAEGUS pyracantha lalandi (See	PYRACA	NTHA)	
DAPHNE cneorum, 1'		Rose D	APHNE
Gray-green foliage, low spreading	Pretty	nink fl	owers in
April-May. Delightful fragrance.	. 11000	pink n	owers in
6 to 8 in	.65	5.50	
Q to 10 in	775		
8 to 10 in	.10	7 50	
TU TO 12 III	.80	7.50	
EUUN IMUS japonicus, 5-6 EVI	ERGREEN	BURNIN	GBUSH
Lustrous, deep green leaves; upr	ight bus	hy habi	t; needs
winter protection here.		2 - 2	
8 to 10 in*	.35	2.50	
10 to 12 in*	.50	4.00	30.00
12 to 15 in*	.75	6.50	55.00
15 to 18 in.*	1.00	9.00	
10 to 12 in* 12 to 15 in* 15 to 18 in.* — patens (sieboldianus), 6'-8'	SPREAD	ING EUO	NYMUS
Grows vigorously, forming broad,	rather lo	ose shru	b; leaves
persist until late winter. Ornar	mental f	ruits.	Effective
among denser conifers.			
19 to 15 in *	.35		
19 to 15 in *	.35 .45		
19 to 15 in *	.35 .45		
12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	.45 .55	INTERCE	EEPER
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15'	.45 .55 W	INTERCR	
12 to 15 in.*. 15 to 18 in.*. 18 to 24 in.*. — radicans, climbing to 15' Self-clinging vine. Good for cover	.45 .55 W		
12 to 15 in.*. 15 to 18 in.*. 18 to 24 in.*. — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergree	.45 .55 Wring low	walls, al	so useful
12 to 15 in.*. 15 to 18 in.*. 18 to 24 in.*. — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergree	.45 .55 Wring low	walls, al	so useful
12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	.45 .55 Wring low ens. .20 .25	walls, al 1.50 2.00	10.00 15.00
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy	.45 .55 Wing low ens. .20 .25 PLEAF W	walls, al 1.50 2.00 INTERCR	10.00 15.00 EEPER
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* - radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy	.45 .55 Wing low ens. .20 .25 PLEAF W	walls, al 1.50 2.00 INTERCR	10.00 15.00 EEPER
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v	walls, al 1.50 2.00 INTERCR	10.00 15.00 EEPER
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v	walls, al 1.50 2.00 INTERCR	10.00 15.00 EEPER
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v	walls, al 1.50 2.00 INTERCR white ve	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* - radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy - acutus A graceful form, with long narrow plish underneath. 12 to 15 in., 2 year. 15 to 18 in., 3 year. - carrieri	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W	1.50 2.00 INTERCR white ve	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W	walls, al 1.50 2.00 INTERCR white ve	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W	walls, al 1.50 2.00 INTERCR white ve	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy 12 to 15 in.*, 3 year, bushy — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W	walls, al 1.50 2.00 INTERCR white ve	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. 15 to 18 in.,* 3 year.	.45 .55 Wring low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab	Nalls, al 1.50 2.00 INTERCR white ve INTERCR oit. 2.00 2.50 3.00	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. 15 to 18 in.,* 3 year.	.45 .55 Wring low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab	Nalls, al 1.50 2.00 INTERCR white ve INTERCR oit. 2.00 2.50 3.00	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — - variegatus Variegated Variegated	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* - radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. - acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. - carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. - variegatus Variegated Leaves veined and marked yellowis	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .25 .25 .25 .25 .25 .25 .25 .25 .25 .25	1.50 2.00 INTERCR white ve int. 2.00 2.50 3.00 INTERCR	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy.	.45 .55 Wring low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 30 .35 LEAF Wih white a	walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR INTE	10.00 15.00 EEPER ins, pur-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 .30 .35 LEAF Wh	walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR and pink 1.50 2.00	10.00 15.00 EEPER ins, pur- EEPER EEPER . Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.*	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 .30 .35 LEAF Wh h white a	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 .25 .25 .25 Lusshy hab .25 .30 .35 LEAF W h white a	walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR d pink 1.50 2.00 INTERCR d, dul	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth. Leav Bright scarlet fruits, freely prod	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 .25 .25 .25 Lusshy hab .25 .30 .35 LEAF W h white a	walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR d pink 1.50 2.00 INTERCR d, dul	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth. Leave Bright scarlet fruits, freely prodeevergreens.	.45 .55 Wring low ens. .20 .25 PLEAF W leaves, v. .20 .25 LOSSY W ushy hab .25 .35 LEAF W h white a .20 .25 SIEAF W res, rour uced. H	walls, al 1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR nd pink 1.50 2.00 INTERCR d, dull landsom	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth. Leave Bright scarlet fruits, freely prodeevergreens.	.45 .55 Wing low ens. .20 .25 .25 .20 .25 LOSSY W ushy hab .25 .35 LEAF Wh h white a .20 .25 GLEAF W. h. white a	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR id, dull Iandsom 2.00	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.,* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth. Leave Bright scarlet fruits, freely prodeevergreens.	.45 .55 Wing low ens. .20 .25 PLEAF W leaves, v .20 .25 LOSSY W ushy hab .25 30 .25 LEAF W h white a .20 .25 SELEAF W less, roun uced. F	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR and pink 1.50 2.00 INTERCR d, dull Iandsom 2.00 2.50	10.00 15.00 EEPER ins, pur- EEPER Cling-
12 to 15 in.* 15 to 18 in.* 18 to 24 in.* — radicans, climbing to 15' Self-clinging vine. Good for cover for under planting among evergre 8 to 12 in.*, 2 year, bushy. 12 to 15 in.*, 3 year, bushy. — acutus A graceful form, with long narrow plish underneath. 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — carrieri Has large, shiny, pointed leaves; b 8 to 12 in.* 12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — variegatus VARIEGATED Leaves veined and marked yellowis ing vine. 8 to 12 in.* 2 yr. bushy. 12 to 15 in.* 3 yr. bushy. 12 to 15 in.* 3 yr. bushy. — vegetus, 3'-4' Bushy, interesting growth. Leav Bright scarlet fruits, freely prod	.45 .55 Wing low ens. .20 .25 .25 Leaf W leaves, v. .20 .25 LOSSY W ushy hab .25 .30 .35 LEAF Wh white a .20 .25 GLEAF W. eres, rour uced. H	1.50 2.00 INTERCR white ve INTERCR it. 2.00 2.50 3.00 INTERCR ind pink 1.50 2.00 INTERCR id, dull Iandsom 2.00	10.00 15.00 EEPER ins, pur- EEPER Cling-

ILEX crenata, 8'-10' Box-like leaves, rich, deep green, an			
ILEX crenata, 8'-10'	Each	Per 10	Per 100
Roy like leaves rich door groon on			
	JA	PANESE	HOLLY
box-like leaves, rich, deep green, an	d leathe	ery. Stiff	branch-
ing, makes a good hedge. Black ber			
	\$.75	\$6.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.50		
JUNIPER chinensis oblonga 7'-8'			
Forms a broad, irregular, pyramid	with f	athouse b	.manahaa
	WILLI IC	cathery t	ranches.
Grayish foliage.	1 70		
18 to 24 in	1.50		
2 to 2½ ft	2.25		
$2\frac{1}{2}$ to 3 ft	2.50		
— microphylla, 6'-8' SMALL-	$\operatorname{Leaf} \operatorname{J}_{A}$	APANESE]	Holly
Smaller leaves and more hardy than	preced	ling.	
12 to 15 in	.75	6.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.50	14.00	
2 to 3 ft	2.25	21.50	
3 to 4 ft	5.00	A-100	
4 to 5 ft	6.00		
	0.00	т	
— glabra, $5'-6'$			BERRY
Shining, dark green leaves, purplish			berries.
Useful for shady spots, also succeed		1.	
12 to 15 in	.75		
— opaca, 25'-30'	Ам	ERICAN I	HOLLY
Does best in moist partially shaded	place.	Rather	difficult
to transplant.	1		
18 to 24 in	1.50		
2 to 3 ft	2.00		
		~	
— pfitzeriana, 5'-6'		TITZER JU	
Broad, bushy habit. Gray-green			
appearance. A most adaptable, l	iardy e	evergreen	, highly
recommended.			
12 to 18 in	1.50	14.00	\$130.00
18 to 24 in	1.70	16.00	150 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	2.50	24.00	230.00
2½ to 3 ft	3.50	34.00	
3 to 4 ft	5.00		
— communis, 2'-21/2'	Co	mmon Ju	NIPER
Forms a vase-shaped bush.	00	1111011 00	
18 to 24 in	1.40		
2 to 2½ ft	1.65		
01/ 10 0 11			
2½ to 3 ft	2.15		
3 to 4 ft	2.65		
		mmon Ju	
— — aurea, $1'-1\frac{1}{2}$ Gold			oright in
—— aurea, 1'-1½' Golden folias	ge, part	icularly b	8 -
—— aurea, 1'-1½' GOLI Low spreading habit. Golden foliag spring.	ge, part	icularly b	8
—— aurea, 1'-1½' GOLI Low spreading habit. Golden foliag spring.	ge, part 1.50	icularly b	8
—— aurea, 1'-1½' GOLI Low spreading habit. Golden foliage spring. 18 to 24 in		icularly b	6
—— aurea, 1'-1½' GOLI Low spreading habit. Golden foliag spring. 18 to 24 in	1.50 1.75	icularly l	6 -
—— aurea, 1'-1'½' GOLT Low spreading habit. Golden foliage spring. 18 to 24 in	1.50	icularly l	6 -
—— aurea, 1'-1½' GOLT Low spreading habit. Golden foliage spring. 18 to 2½ in	1.50 1.75 2.25 2.75		
—— aurea, 1'-1½' GOLT Low spreading habit. Golden foliage spring. 18 to 24 in	1.50 1.75 2.25 2.75 CA	anada Ju	NIPER
—— aurea, 1'-1½' GOLT Low spreading habit. Golden foliage spring. 18 to 24 in	1.50 1.75 2.25 2.75 CA		NIPER
—— aurea, 1'-1'½' GOLI Low spreading habit. Golden foliag spring. 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft —— canadensis, 2½'-3' Forms a low vase-shaped bush. Lobluish underneath.	1.50 1.75 2.25 2.75 Ca	anada Ju	NIPER
—— aurea, 1'-1½' GOLT Low spreading habit. Golden foliag spring. 18 to 2½ in	1.50 1.75 2.25 2.75 Caeaves d	anada Ju	NIPER
——————————————————————————————————————	1.50 1.75 2.25 2.75 Caeaves d 1.00 1.20	anada Ju	NIPER
——————————————————————————————————————	1.50 1.75 2.25 2.75 CA eaves d 1.00 1.20 1.40	anada Ju	NIPER
——————————————————————————————————————	1.50 1.75 2.25 2.75 Caeaves d 1.00 1.20 1.40 1.65	NADA JU ark greei	NIPER 1 above,
—— aurea, 1'-1'½' GOLI Low spreading habit. Golden foliag spring. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —— canadensis, 2½'-3' Forms a low vase-shaped bush. Lobluish underneath. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —— cracovica, 4'-5'	1.50 1.75 2.25 2.75 Caeaves d 1.00 1.20 1.40 1.65	NADA JU ark greei OLISH JU	NIPER a above,
—— aurea, 1'-1'½' GOLT Low spreading habit. Golden foliag spring. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. —— canadensis, 2½'-3' Forms a low vase-shaped bush. Lobluish underneath. 12 to 15 in. 15 to 18 in. 18 to 2½ in. 2 to 2½ ft. —— cracovica, ½'-5' Upright, branching from ground, male	1.50 1.75 2.25 2.75 Caeaves d 1.00 1.20 1.40 1.65	NADA JU ark greei OLISH JU	NIPER a above,
——————————————————————————————————————	1.50 1.75 2.25 2.75 Caeaves d 1.00 1.20 1.40 1.65	NADA JU ark greei OLISH JU	NIPER a above,
—— aurea, 1'-1½' GOLT Low spreading habit. Golden foliage spring. 18 to 24 in	1.50 1.75 2.25 2.75 CA eaves d 1.00 1.20 1.40 1.65 P	NADA JU ark greei OLISH JU	NIPER a above,
——————————————————————————————————————	1.50 1.75 2.25 2.75 CA eaves d 1.00 1.20 1.40 1.65 Pring ver 1.50	NADA JU ark greei OLISH JU	NIPER a above,

	T 1.	D. 10	D 100
JUNIPER—continued — hibernica, 7'-8'	Each		Per 100
A very narrow pyramid. Useful	for its	IRISH Ju	UNIPER ke effect
12 to 15 in	\$.60	\$5.00	ac chece.
15 to 18 in	.75	6.50	
18 to 24 in	$\frac{1.00}{1.25}$	9.00 11.50	
$2\frac{1}{2}$ to 3 ft	1.50	14.00	
		EDISH J	INIPER
A narrow, compact column.			
12 to 15 in	.90	8.00	
15 to 18 in	1.25	11.50	
— excelsa stricta, 4'-5' Compact, well-shaped pyramid. F		FREEK JU	
useful for formal effects.	onago g	,raj gree	
10 to 12 in	1.00	9.00	
12 to 15 in	1.25 1.75	11.50	
15 to 18 in	2.50	$16.50 \\ 24.00$	
2 to 2½ ft	3.00	71.00	
- horizontalis (sabina prostrata), 1'-1'	2' C:	REEPING	SAVIN
Branches trail along ground. Ac	lapted	to rockw	ork and
ground covering. $2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	2.00		
2½ to 3 ft	2.50		
— — douglasi, $1'-1\frac{1}{2}'$	WAUK	EGAN JU	NIPER
Long branches trailing along grou			
A splendid ground cover; also effecti	ve amoi	ng rock.	Distinct
purple hue in winter. 12 to 15 in	1.00		
15 to 18 in	1.50		
18 to 24 in	2.00		
— japonica, 3'-4'		ANESE JU	
Low grower, spreading branches, of Adapted to rock planting. Grows		en, scar	y leaves.
12 to 15 in	1.00		
— — aurea variegata, 2'-21/2' Golden	VARIE	GATED JU	NIPER
12 to 15 in	1.15		
— sabina, $6'-7'$!	SANTAT IT	
			NIPER
Dense, dark green foliage. Spre			
Dense, dark green foliage. Spre irregular vase-shaped bush.			
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	ading b .85 1.00	7.50 9.00	forming \$ 80.00
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	.85 1.00 1.35	7.50 9.00 12.50	forming
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	.85 1.00 1.35 2.00	7.50 9.00	forming \$ 80.00
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	.85 1.00 1.35 2.00 2.50	7.50 9.00 12.50 19.00	\$ 80.00 115.00
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	.85 1.00 1.35 2.00 2.50	7.50 9.00 12.50 19.00	\$ 80.00 115.00 SAVIN
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	ading b .85 1.00 1.35 2.00 2.50 Tapact bu	7.50 9.00 12.50 19.00 CAMARIX it soft tex	\$ 80.00 115.00 SAVIN
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	ading b .85 1.00 1.35 2.00 2.50 Tapact bu	7.50 9.00 12.50 19.00 TAMARIX it soft ter 9.00	\$ 80.00 115.00 SAVIN
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	ading b .85 1.00 1.35 2.00 2.50 Tapact bu	7.50 9.00 12.50 19.00 CAMARIX it soft tex	\$ 80.00 115.00 SAVIN
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in	.85 1.00 1.35 2.00 2.50 7 apact bu 1.00 1.25 1.50	7.50 9.00 12.50 19.00 19.00 TAMARIX It soft te: 9.00 11.50 14.00 RED	\$ 80.00 115.00 SAVIN EXTURE IN
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in	ading b .85 1.00 1.35 2.00 2.50 7 spacet be 1.00 1.25 1.50 bliage, p	7.50 9.00 12.50 19.00 CAMARIX tt soft te: 9.00 11.50 14.00 RED urplish in	\$ 80.00 115.00 SAVIN EXTURE IN
Dense, dark green foliage. Spre irregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green fu Useful in formal work, or mixed planting.	ading b .85 1.00 1.35 2.00 2.50 7 npact bu 1.00 1.25 1.50 bliage, p	7.50 9.00 12.50 19.00 CAMARIX it soft ter 9.00 11.50 14.00 RED urplish in	\$ 80.00 115.00 SAVIN sture in
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in	ading b .85 1.00 1.35 2.00 2.50 7 spacet be 1.00 1.25 1.50 bliage, p	7.50 9.00 12.50 19.00 CAMARIX tt soft te: 9.00 11.50 14.00 RED urplish in	\$ 80.00 115.00 SAVIN EXTURE IN
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green for Useful in formal work, or mixed plated at the state of	.85 1.00 1.35 2.00 2.50 7 apact bu 1.00 1.25 1.50 bliage, p	7.50 9.00 12.50 19.00 12.50 19.00 CAMARIX it soft te: 9.00 11.50 14.00 RED urplish in	\$ 80.00 115.00 SAVIN xture in CCEDAR in winter. 255.00
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 2½ in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green for Useful in formal work, or mixed plated to 4 ft. 4 to 5 ft. 5 to 6 ft. — glauca, 15'-20'	.85 1.00 1.35 2.00 2.50 2.50 1.00 1.25 1.50 bliage, pantings. 2.75 4.00 5.50	7.50 9.00 12.50 19.00 12.50 19.00 CAMARIX it soft te: 9.00 11.50 14.00 RED urplish in 26.50 39.00	\$ 80.00 115.00 SAVIN xture in CEDAR in winter. 255.00 380.00
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green for Useful in formal work, or mixed plate to 4 ft. 4 to 5 ft. 5 to 6 ft. — glauca, 15'-20' Bluish-gray foliage. Distinct.	.85 1.00 1.35 2.00 2.50 Tapact bu 1.00 1.25 1.50 bliage, pantings. 2.75 4.00 5.50 SILV	7.50 9.00 12.50 19.00 12.50 19.00 CAMARIX It soft te: 9.00 11.50 14.00 RED urplish in 26.50 39.00 54.00	\$ 80.00 115.00 SAVIN xture in CEDAR in winter. 255.00 380.00
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green for Useful in formal work, or mixed plated to 5 ft. 5 to 6 ft. — glauca, 15'-20' Bluish-gray foliage. Distinct. 18 to 24 in.	.85 1.00 1.35 2.00 2.50 7 apact bu 1.00 1.25 1.50 bliage, p antings. 2.75 4.00 5.50 SILV	7.50 9.00 12.50 19.00 12.50 19.00 CAMARIX It soft te: 9.00 11.50 14.00 RED urplish in 26.50 39.00 54.00	\$ 80.00 115.00 SAVIN xture in CEDAR in winter. 255.00 380.00
Dense, dark green foliage. Spreirregular vase-shaped bush. 10 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — tamariscifolia, 1'-1½' Flat, spreading growth, making com low evergreen planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. — virginiana, 25'-30' Forms a dense column, deep green for Useful in formal work, or mixed plate to 4 ft. 4 to 5 ft. 5 to 6 ft. — glauca, 15'-20' Bluish-gray foliage. Distinct.	.85 1.00 1.35 2.00 2.50 Tapact bu 1.00 1.25 1.50 bliage, pantings. 2.75 4.00 5.50 SILV	7.50 9.00 12.50 19.00 12.50 19.00 CAMARIX It soft te: 9.00 11.50 14.00 RED urplish in 26.50 39.00 54.00	\$ 80.00 115.00 SAVIN SAV

JUNIPER—continued — tripartita, 4'-5'		Per 10	
A bushy, half upright grower with			
18 to 24 in	\$1.50	,	
2 to 2½ ft	2.00		
$2\frac{1}{2}$ to 3 ft	2.75		
3 to 3½ ft	3.50		
- waukegan (See horizontalis douglasi		т	
KALMIA latifolia, 5'-7' Most effective in June when the clu		INTAIN LA	
Good foliage; like shade.	isters or	bmk nowe	ers open.
12 to 18 in	1.25	\$11.50	
18 to 24 in	1.50	14.00	
2 to 2½ ft	1.75	16.50	
2½ to 3 ft LEUCOTHOE catesbaei, 3'-4'	2.25	21.50	
LEUCOTHOE catesbaei, 3'-4'	DROOP:	ing Leuce	тное
Attractive white flowers, May. H	landsom	e, lustrou	s leaves
rich autumn coloring. Splendid for	r under	planting 1	n snade
15 to 18 in	1.10	7.50 10.00	00.00
18 to 24 in	1.30	12.00	110 00
18 to 24 in LIGUSTRUM lucidum 6'-8'		GLOSSY P	
A very attractive evergreen prive	t with r	ich, gloss	y leaves
Not hardy in the North.			
Not hardy in the North. 2 year, 3" pots LONIČERA pileata, 2"-3"	.50	**	
LONICERA pileata, 2'-3'		HONEYS	
Dwarf spreading evergreen shrub.	Not har	rdy in the	North.
2 year		NESE MA	HONIA
A broad leaved evergreen with			
Yellow flowers in June are very sh			, in the state of
18 to 24 in	1.00		
2 to 2½ ft NANDINA domestica 4'-6'	2.00		
NANDINA domestica 4'-6'			DINA
One of the handsomest broad-leave	d evergr	eens in th	e South.
Foliage is light in effect. Beautiful trusses of red berries.	I tan col	oring. H	as large
2 year, 3'' pots	.50		
PICEA alba, 50'-60'		VHITE SI	PRUCE
Silvery foliage; develops into shape			
ture.			
ture.			
12 to 15 in	.50		
12 to 15 in	.75		
12 to 15 in	$\frac{.75}{1.00}$		
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	0.75 1.00 1.25	TODWAY S	DDITCE
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′–100′	.75 1.00 1.25	Forway S	
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80'-100' Has dark green foliage and grows	.75 1.00 1.25 N	. Makes	a good
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself	.75 1.00 1.25 N	trimmed	a good hedges 80.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to 2½ ft.	.75 1.00 1.25 No rapidly well to	trimmed	a good hedges 80.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80'-100' Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75	trimmed	a good hedges 80.00 105.00 155.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25	7. Makes trimmed 9.00 11.50 16.50 21.50	a good hedges 80.00 105.00 155.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft.	.75 1.00 1.25 Ne rapidly well to 1.00 1.25 1.75 2.25 2.75	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50	a good hedges 80.00 105.00 155.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′–100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′–7′ Arrow	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 THEAD N	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′–100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′–7′ Grows slowly. Compact and symm	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 THEAD N	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80'-100' Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6'-7' Grows slowly. Compact and symm tion planting.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 THEAD N	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′-7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 THEAD N	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′–100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to ½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′–7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD Netrical. 1.00 1.25 1.50	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′-7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 ORWAY SI	a good hedges. 80.00 105.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80'-100' Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6'-7' Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI Good for	a good hedges. 80.00 105.00 155.00 205.00
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′-7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. —— cungens, 60′-80′	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50 Co	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI GOOD for	a good hedges 80.00 105.00 155.00 205.00 PRUCE founda-
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2¼ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′-7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — pungens, 60′-80′ Branches in distinct whorls, formi	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50 Co	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI GOOD for	a good hedges 80.00 105.00 155.00 205.00 PRUCE founda-
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′–100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′–7′ Arrow Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — pungens, 60′–80′ Branches in distinct whorls, formi men.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50 Co ng hand	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI GOOD for	a good hedges 80.00 105.00 155.00 205.00 PRUCE founda-
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80'-100' Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6'-7' Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — pungens, 60'-80' Branches in distinct whorls, formi men. 18 to 2¼ in.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50 Co ng hand	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI GOOD for	a good hedges. 80.00 105.00 155.00 205.00 PRUCE founda-
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. — excelsa, 80′-100′ Has dark green foliage and grows windbreak, and also lends itself 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. — conica, 6′-7′ Grows slowly. Compact and symm tion planting. 10 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — pungens, 60′-80′ Branches in distinct whorls, formi men. 18 to 2½ in. 2 to 2½ ft.	.75 1.00 1.25 N rapidly well to 1.00 1.25 1.75 2.25 2.75 HEAD N tetrical. 1.00 1.25 1.50 2.50 3.50 Co ng hand 1.25 2.00	7. Makes trimmed 9.00 11.50 16.50 21.50 26.50 GORWAY SI GOOD for	a good hedges 80.00 105.00 155.00 205.00 PRUCE founda-

DIDDIG:			Per 100
PIERIS japonica (ANDROMEDA), 5'-6			
Thick, shiny leaves, turning bron	ize in v	vinter.	Drooping
clusters of small white flowers open		y. Grov	vs slowly.
Best in moist, partially shaded pla		Φ 0 00	Φ. 00.00
12 to 15 in	\$1.00	\$ 9.00	\$ 80.00
15 to 18 in	1.50	14.00	130.00
18 to 24 in	2 25	21.50	
2 to 2½ ft	3.00		•
PINUS densiflora		NESE RE	D PINE
Foliage dark green. A good desirab			
18 to 24 in	1.25	11.50	105.00
2 to 2½ ft	1.50	14.00	130.00
2½ to 3 ft	1.75	16.50	155.00
3 to 3½ ft	2.25	21.50	_
— flexilis, 30'-40'		Limbe	R PINE
Dark bluish green foliage; very har			
18 to 24 in	1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.50		
3 to 3½ ft	3.00		
— montana mughus, 2½'-3'		Mughe	
Forms a round-topped clump. Use	eful for	rock plan	nting and
foundation work.			
12 to 15 in	1.50		
15 to 18 in	2.00		
18 to 24 in	2.50		
2 to 2½ ft	3.50		
— nigra austriaca, 60'-70'	A	USTRIAN	Pine
Rich, dark green. Vigorous, dense	grower	. Good	for back-
ground. Thrives at seashore.	Ü		
2 to 2½ ft	2.00		
2½ to 3ft	2.75		
— ponderosa W	TESTEDN	YELLOV	PINE
A rapid-growing Pine, growing to la	arge dim	ensions	Silvery-
green foliage.	nge am		211.01
2 to 2½ ft	1 50		
$2\frac{1}{2}$ to 3 ft	2.00		
3 to 4 ft	2 50		
		D	D
— resinosa, 50'-60'	1		PINE
Rich green, stiff leaves; reddish	brown	park.	vigorous,
symmetrical grower.	1 *0		
2 to 2½ ft	1.50		
2½ to 3 ft	2.00		,
3 to 4 ft	2.50		
- rigida, 40'-50'		PITCH	PINE
Irregular, picturesque habit. Usef	ul for o	lry, poor	soil and
seashore planting; quick grower.			
2 to 2½ ft	1.50		
$2\frac{1}{2}$ to 3 ft	2.00		
3 to 4 ft	2.50		
strobus, 80'-100'		WHIT	E PINE
Probably our most adaptable and u	seful ni	ne Ver	v nictur-
esque when old.	tociai p	iic. , c.,	procur
2 to 2½ ft	1.50	14.00	
$2\frac{1}{2}$ to 3 ft	2 00	19.00	
3 to 4 ft	2.50	24.00	
			. D
— sylvestris, 25'-30'		SCOTCE	
A rapid-growing, handsome tree,	especia	ny wher	young.
Good for windbreaks.	1 *0	11.00	
2 to 2½ ft	$\frac{1.50}{2.00}$	14.00	
2½ to 3 ft	2.00 2.50	19.00 24.00	
3 to 4 ft	2.50	21.00	

×.			
PIVUS—continued — thunbergi		Per 10 SE BLACE	
A large growing tree with rich, da needles; good for grouping effects.	rk greer	foliage	and long
2 to $2\frac{1}{2}$ ft	\$1.50	\$14.00	
$2\frac{1}{2}$ to $\overline{3}$ ft	2.00	19.00	
3 to 4 ft	2.50	24.00	
4 to 5 ft	3.50		
PSEUDOTSUGA douglasi, 70'-80' Very hardy; dark bluish-green color	ring. Pi	Dougle refers wel	
situation. 18 to 24 in	1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.50		
3 to 4 ft	3.25		
PYRACANTHA coccinea lalandi, 9'-12	' LAL	ND FIRE	THORN
A beautiful broad-leaved evergree	en with	large ch	usters of
orange berries in the fall. Needs 2 year, 3" pots	protect	ion in the	e North.
RETINOSPORA ericoides, 3'-4'	HEATI	RETINO	SPORA
Has heather-like leaves, giving round, broad bush.			Forms a
12 to 15 in	.70	6.00	
15 to 18 in	$\frac{.90}{1.25}$	$8.00 \\ 11.50$	
18 to 24 in			
- obtusa compacta, 2½'-4'		TBALL C	
Almost spherical in shape. Good Very useful in foundation or forma	l work	irougnou	t winter.
12 to 15 in	1.00		
15 to 18 in	1.50		
— pisifera, 25'-35'		WARA CY	PPRESS
Quick grower. Loosely pyramidal			
15 to 18 in	1.20	11.00	
18 to 24 in	1.40	13.00	
2 to 2½ ft	2.00	19.00	
2½ to 3 ft	$\frac{2.75}{3.50}$		
3 to 3½ ft		C-	
— aurea, 25'-35' Go Foliage bright yellow, especially in	CDEN SA	wara C	YPRESS
15 to 18 in	1.40	13.00	
18 to 24 in	1.65	15.50	
2 to 2½ ft	2.25	21.50	
2½ to 3 ft	3.00	29.00	
3 to 3½ ft	3.75		
— plumosa, 25'–35'		PLUME CY	
Forms a dense cone of fine texture.	. Usefu	l for shea	ring into
formal shapes. 12 to 15 in	.70	6.00	\$ 50.00
15 to 18 in	1.00	9.00	80.00
18 to 24 in	1.30	12.00	110.00
2 to 2½ ft	2.00	19.00	
$2\frac{1}{2}$ to 3 ft	2.75		
3 to 3½ ft	3.50		
		PLUME C	YPRESS
15 to 18 in	1.20	11.00	
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.50		
2½ to 3 ft	3.00	_	
lutescens, 2½'-3' DWARF Y	ELLOW I	LUME CY	PRESS
Forms a low, broad, round-topped branchlets.	ousn; br	ignt yeno	w tippea
10 to 12 in	1.00		
12 to 15 in	1.25		
15 to 18 in	1.75		


RETINOSPORA—continued —— filifera, 15'-20' THREAD BRANCHED CYPRESS
Has long, stringy, drooping branches and bright green foliage.
Graceful and decorative. 12 to 15 in
15 to 18 in 1.25 11.50
18 to 24 in
2 to 2½ ft
3 to 31/6 ft 5 00
——— aurea, 10'-12' GOLDEN THREAD BRANCHED CYPRESS
Very bright, conspicuous, golden yellow. Grows more slowly than preceding.
8 to 10 in
10 to 12 in
15 to 18 in
Foliage blue-gray, feathery and dense, giving soft woolly appearance. Broad pyramidal outline when young.
12 to 15 in
15 to 18 in 1.25 11.50
18 to 24 in
2 to 2½ ft
CAROLINA RHODODENDRON
Rosy-purple flowers, May-June. Compact, bushy habit,
best in moist, partly shaded places. 12 to 18 in 1.50
18 to 24 in 2.00
2 to 2½ ft
— catawbiense, 6'-9' CATAWBA RHODODENDRON
Large, rosy-purple flowers, May-June. Large, deep green leaves; prefers half-shade.
18 to 24 in 1.75
2 to $2\frac{1}{2}$ ft 2.50
— maximum, 8'-12' Rosebay Rhododendron Beautiful light pink flowers freely produced in May-June.
Large, handsome foliage, most effective in masses.
18 to 24 in
$2 \text{ to } 2\frac{1}{2} \text{ ft}$ 2.50 $2\frac{1}{2} \text{ to } 3 \text{ ft}$ 3.25
2½ to 3 ft
Compact, upright habit. Stiff, dark green leaves crowded
on branches.
10 to 12 in
Spreading, horizontal branches, dark blue-green leaves.
Valuable for low planting.
10 to 12 in
12 to 15 in
- canadensis, 2'-216' CANADA YEW
Spreading habit. Bronzy in winter. Prefers shade; good for
underplanting.
10 to 12 in
15 to 18 in
- cuspidata, 4'-5' Spreading Japanese Yew
Rich, deep green leaves. Spreading, bushy habit. Valuable in foundation plantings. Exceptionally hardy.
12 to 15 in 1.20 11.00 \$100.00
15 to 18 in 1.70 16.00 150.00
18 to 24 in
2.072.000

TAXUS—continued	Fach	Per 10	Per 100
— brevifolia, 2'-3'		JAPANESE	
Broad, thick leaves, blackish gree	n. Slow	growing a	nd irreg-
ular, spreading habit. Exception			
8 to 10 in	\$.85 1.00	\$ 7.50 9.00	
12 to 15 in	1.35	12.50	
15 to 18 in	1.75	-,0,00	
15 to 18 in		JAPANESI	E YEW
The upright type of Taxus Cuspi			
12 to 15 in	1.25 1.75		
18 to 24 in	2.75		
THUYA occidentalis, 15'-30'	AMERIC	CAN ARBOR	RVITAE
Slender pyramid with broad base	e. Bronz	zy winter	coloring.
Good accent plant or for a hedge.	1 00	9.00	¢ 00 00
18 to 24 in	1.25	11.50	\$ 80.00 105.00
2½ to 3 ft	1.75	16.50	155.00
3 to 3½ ft	2.25	21.50	
3½ to 4 ft	3.00		
4 to 5 ft	4.00 PARS	ons Arboi	227777 4 72
Almost globe-shaped. Bright gr	reen. U	seful in fo	ormal or
foundation planting.			
12 to 15 in	1.00	9 00	80.00
15 to 18 in	1.25	11.50	
18 to 24 in	1.75		
— elegantissima, 10'-15' Go Branches tipped with yellow. Ri	OLDENTIP	PED ARBO	RVITAE
18 to 24 in		ous green.	
2 to 2½ ft	1.75		
$2\frac{1}{2}$ to 3 ft			
— — ellwangeriana, 4'-6'	Гом Ти	лмв Аквон	RVITAE
Has heather-like leaves; dense	habit; s	oft, close	texture.
Forms low, broad, blunt pyramodologing.	mia. A	ien purpi	e winter
12 to 15 in	.85	7.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.35		
2 to 2½ ft			
— globosa, 2½'-3' Useful in formal work. Naturall	v globe	OBE ARBOI	RVITAE
8 to 10 in		5.50	
10 to 12 in		7.50	
12 to 15 in	1.00	9.00	
15 to 18 in	1.35		
— hoveyi, 3'-4' Oval in shape, nearly as broad as		VEY ARBOI	
12 to 15 in	.90	8.00	70.00
15 to 18 in	1.20	11.00	100.00
18 to 24 in	1.50	14.00	130.00
		DY ARBOR	
Conspicuous golden yellow form.		ar outline.	
15 to 18 in	1.00 1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.75		
— — plicata, 10′–20′		oss Arboi	
Rich, deep blue-green foliage.		iff branch	lets give
	Formal p	yramid.	
18 to 24 in	1.25 1.50	$11.50 \\ 14.00$	130.00
2 to 2½ ft	2.00	19.00	130.00
3 to 3½ ft	2.50		

PRINCETON, NEW JERSEY 51
THUYA—continued Each Per 10 Per 100
—— pyramidalis, 15'–30' Pyramidal Arborvitae
Retains bright green coloring throughout winter. Narrow
columnar shape; enlanded for accounts or formal planting
columnar shape; splendid for accents or formal planting. 18 to 24 in \$1.25 \$ 11.50
18 10 24 111
2 to 2½ ft 1.50 14.00
2½ to 3 ft
3 to 3½ ft
3½ to 4 ft
Dense, rugged, columnar form. Slow grower.
15 to 18 in 1.25
18 to 24 in 1.50
2 to 2½ ft
2½ to 3 ft
2½ to 3 ft
Variegated with greenish yellow foliage, bronzy in winter.
Broadly pyramidal.
18 to 24 in 1.25
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 1.50
$2\frac{1}{2}$ to 3 ft
3 to 3½ ft
— wareana, 12'-15' SIBERIAN ARBORVITAE
Light green, fleshy foliage. Broadly pyramidal, rugged in
appearance.
15 to 18 in 1.00 9.00
18 to 24 in 1.35 12.50
2 to 2½ ft
2½ to 3 ft 2.50
TSUGA canadensis, 75'-90' CANADA HEMLOCK
Most graceful and adaptable, the spreading horizontal
branches making effective shadow effects. Useful as either
clipped hedge or informal planting.
18 to 24 in 1.50
2 to 2½ ft 2.00
$2\frac{1}{2}$ to 3 ft
3 to 3½ ft 3.00
- caroliniana Carolina Hemlock
One of our choicest native evergreens; slower in growth than
above.
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
VIBURNUM rhytidophyllum, 6'-8' LEATHERLEAF VIBURNUM
Large, oblong leaves, deep green above, gray beneath; a
bold, handsome shrub.
18 to 24 in 1.00
2 to 2½ ft
$2\frac{1}{2}$ to 3 ft
YUCCA filamentosa, 2'-3' ADAMS NEEDLE
Long lance-like leaves. Tall flower spike grows up quickly in
June-July. Numerous creamy flowers and general appearance give tropical effect. Useful for massing with either ever-
give tropical effect. Useful for massing with either ever-
greens or shrubbery.
1 year*
2 year

PERENNIALS AND GRASSES

Each Per 10 Per 100 HARDY PLUME GRASSES **EULALIA HIBISCUS** \$10.00 1.20



Two year Apples, grown at Princeton. Our fruit trees are clean, fully up to size, and true to name. We do not grow immense quantities of fruits, but have enough to supply the needs of customers who want a medium quantity to go in an assortment order. By growing them ourselves, we can stand back of them and know that we are delivering the right kind of stock.

Each Per 10 Per 100

PACHYSANDRA terminalis, 6'-8'		JAPA	ANESE S	PURGE
One of the best bedding plant	s for	green	effect	in shady
places.				
2 inch pots	. \$.20	\$1.50	\$10.00
2 yr. field grown		.20	1.50	10.00

FRUIT DEPARTMENT

Graded according to Horticultural Standards, 1923, of the American Association of Nurserymen. Caliper taken two inches above bud.

APPLES

STANDARD AND CRABS

1 in. and up7 ft. and upXX	.75	6.50	60.00
$\frac{7}{8}$ to 1 in 6 ft. and upX	.55	4.50	40.00
$\frac{11}{16}$ to $\frac{7}{8}$ in 5 ft. and up A	.45	3.50	30.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.35	2.50	20.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B	.25	1.50	10.00

SUMMER

Early Harvest Gravenstein Red Astrachan Yellow Transp.

AUTUMN

Duchess
Fall Pippin
Grimes Golden
King
Wolf River

WINTER

Baldwin
Ben Davis
Delicious
Golden Russet
Jonathan
McIntosh
N. W. Greening

Northern Spy Rome Beauty Roxbury Russet Staymans Winesap Stark York Imperial Winter Banana

Crab Apples:-Hyslop, Red Siberian, Transcendent.

DWARF APPLES

	Each	Per 10	Per 100
1 in. and up 6 ft. and up XX	\$.85	\$7.50	
3/4 to 1 in 5 ft. and up X	.70	6.00	
5/8 to 3/4 in 4 ft. and up A	.50	4.00	
1/2 to 5/8 in 3 ft. and up M	.40	3.00	

Dwarf Apples:—Baldwin, Delicious, Fall Pippin, Red Astrachan, R. I. Greening, Stayman Winesap, Yellow Transparent.

CHERRIES (Sour)

$\frac{11}{16}$ in. and up 4 ft. and up X	.75	6.50	\$60.00
$\frac{9}{16}$ to $\frac{11}{16}$ in $3\frac{1}{2}$ ft. and up A	.60	5.00	45.00
$\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M	.45	3.50	30.00
$\frac{5}{16}$ to $\frac{7}{16}$ in $2\frac{1}{2}$ ft. and up B	.35	2.50	20.00

Sour Cherries:- Early Richmond, Montmorency.

CHERRIES (SWEET)

$\frac{11}{16}$ in. and up 5 ft. and up X	.85	7.50
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A	.70	6.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ and up M	.50	4.00
$\frac{5}{16}$ to $\frac{7}{16}$ in 3 ft. and B	.40	

Sweet Cherries: Black Tartarian, Downers Late Red Dykeman, Napoleon, Schmidts Biggereau.

PEACHES

1 in, and up7 ft. and upXXX	.50	4.50	40.00
$\frac{13}{16}$ to 1 in 6 ft. and up XX	.40	3.50	30.00
$\frac{11}{16}$ to $\frac{13}{16}$ in 5 ft. and up X	.35	3.00	25.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A	.30	2.50	20.00
$\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M	.25	2.00	15.00
$\frac{5}{16}$ to $\frac{7}{16}$ in 2 ft. and up B	.20	1.50	10.00

Peaches: Belle of Georgia, Carmen, Champion, Crawford Early, Crawford Late, Elberta, Fitzgerald, Fox, Greensboro, Hale, Hiley, Iron Mountain, Krummells October, Miss Lola, Mountain Rose, Ray.

PEARS (STANDARD)

1 to 11/8 in 6 ft. and up X	.90	8.00	
$\frac{11}{16}$ to 1 in	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ ft. and up B	.40	3.00	25.00
Standard Pears: Bartlett Clanne Far	vorite	Duchess	Kieffer

Standard Pears: Bartlett, Clapps Favorite, Duchess, Kieffer Lawrence, Seckel, Sheldon, Vermont Beauty.

PLUMS

(ALL BUDDED ON PLUM ROOTS)

11/8 in. and up 7 ft. and up XX	.85	7.50	
1 to $1\frac{1}{8}$ in 6 ft. and up X	.70	6.00	55 00
$\frac{11}{16}$ to 1 in 5 ft. and up A	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00


Plums:—Abundance, Bradshaw, Burbank, Fellenberg, German Prune, Imperial Green Gage, Wickson, Yellow Egg.

OUINCES

5/8 in. and up3 ft. and upA	.70	6.00	55.00
$\frac{1}{2}$ to $\frac{5}{8}$ in $\frac{21}{2}$ ft. and up M	.55	4.50	40.00
$\frac{3}{8}$ to $\frac{1}{2}$ in 2 ft. and up B	.40	3.00	25.00

Quinces:-Champion, Orange.

5/1/3




View of potting shed and greenhouses, taken last fall. We are now completing four more houses on the opposite side of the shed which will double our capacity on lining-out stock of evergreens.

NUTS

	Each	Per 10	Per 100
WALNUT, black			
2 to 3 ft	\$.75	\$ 6.50	
3 to 4 ft	1.00	9.00	
4 to 5 ft	1.25	11.50	
English			
2 to 3 ft	1.00	9.00	
3 to 4 ft	1.50	14.00	
Japan			
4 to 6 ft	1.00	9.00	
6 to 8 ft	1.50	14.00	
8 to 10 ft	2.00	19.00	
			- 1
ASPARAGUS	3		
1 year		.50	\$1.00
2 year		1.00	2.00

Freight and Express

A Pennsylvania Railroad siding at our packing shed enables us to make shipments to all points with minimum exposure, both carloads and less..



Location

Princeton Nurseries are located at Kingston, Middlesex Co., N. J. (three miles East of Princeton) just off the Lincoln Highway. We are halfway between New York City and Philadelphia.

PRINCETON PRODUCTS

The Standard of Excellence